Summer/Fall 2007

More Than 67 New Items In This Issue!

# MANHATTAN™

## Bringing Computers To Life

**Keyboards**
**Mice**
**Speakers**
**Hubs**
**Power Protection**
**PC Components**
**CPU Coolers**
**PC Cards**
**Retail Packed Cables**
**Data Switches**
**Notebook Cases**
**Cleaning Products**
**Desk Organization**
**Media Storage**
**Mouse Pads**
**Mobile Computing**

**NOW OFFERING VISTA-READY AND ROHS-COMPLIANT PRODUCTS**

LIFETIME WARRANTY

**www.manhattan-products.com**

MANHATTAN™
BRINGING COMPUTERS TO LIFE
LIFETIME WARRANTY

# CONTENTS


## PC Components

Page

Cards Readers ... 32
Case/Power Supply Fans ... 31
Controller Cards ... 34
Coolers ... 30
Hard Drive Docking Kits ... 29
Hi-Speed USB 2.0 Cards ... 33
Modems ... 37
Mounting Kits ... 29
Parallel Cards ... 36
PCI Sound Cards ... 35
Power Supplies ... 28
SATA/IDE Converters ... 36
Serial Cards ... 37

## Peripherals

Adapters ... 4
Audio Video ... 8
Barcode Scanners ... 24
Converters ... 4
Data Transfer ... 2
External Drive Enclosures ... 7
Graphics Tablets ... 23
Headsets ... 12-14
Hubs ... 5-6
Keyboards ... 21-22
Mice ... 18-19
Microphones ... 14
Speakers ... 20
Surge Protection ... 25-26
Tool Kits ... 27
TV Tuners ... 9
UPS/Power Products ... 25-26
USB Peripherals ... 2-6
Web Cameras ... 15

## Cables and Data Communications

Adapters ... 41, 48, 51
AT Modem Cable ... 48
Audio/Video Cables ... 42-43, 49
Data Cables ... 40, 47
Data Switches ... 46
DVI Cables ... 41, 50, 51
DVI/HDMI Adapters ... 51
DVI Repeaters ... 46
Firewire Cables ... 39, 47
Gender Changers ... 48
HDMI Repeaters ... 46
HDTV Cables ... 43, 51
Internal Cables ... 43-44, 52
Keyboard/Mouse ... 41, 48
KVM Cables ... 50
Monitor Cables ... 41, 49-50
Network Cables ... 44
Null Modem Cables ... 48
PolyBag Packaged Cables ... 47-52
Power Cables ... 40, 48
Printer Cables ... 40, 47
Ribbon Cables ... 52
Round Cables ... 43, 52
SATA Cables ... 43, 52
USB Cables ... 39, 47
Video Splitters ... 45

## Office Accessories and Mobile Computing

Anti-Static Products ... 59, 61
Cleaning Products ... 61
Keyboard Drawers ... 59
Monitor Arms/Wall Mount Brackets ... 59
Mouse Pads ... 60
Notebook Accessories ... 62-63
Notebook Bags/Cases ... 64-67

## INTELLINET NETWORK SOLUTIONS

GuestGate™ Internet Access Device ... 58
HomePlug ... 56-57
Network IP Cameras ... 54-55

Barcode Index ... 68


MANHATTAN

# FEATURED PRODUCTS

**Hi-Speed USB 2.0 to SATA/IDE Adapter with Power Supply**

**516075**

Page 2

**Serial To USB Converter**

**205146**

Page 4

**LCD TV Converter/Tuner**

**176156**

Page 8

**Updated Product Modules**

**Headsets** ... Page 10
**Mice** ... Page 16

**LCD Monitor Pole** NEW

**420655**

Page 59

**Notebook Power Adapter**

**303088**

Page 62

**Gramercy Ladies' Notebook Bag** NEW

**355025**

Page 67

# USB DATA TRANSFER

## Hi-Speed USB 2.0 to SATA / IDE Adapter with Power Supply

- Connects one SATA 150 or IDE external drive to a Hi-Speed USB 2.0 port to transfer, back-up and store files
- Transfers data between SATA 150 and IDE external drives when both are simultaneously attached
- Supports SATA 150 speeds up to 1.5 Gbps and Hi-Speed USB 2.0 speeds up to 480 Mbps
- Fits external SATA 150 and IDE hard disks and CD/DVD drives up to 5.25"
- Supports 48-bit LBA for drives over 138 GB
- Plug and Play; Windows compatible; hot-swappable

3-in-1, L-type

**516075**

## Hi-Speed USB 2.0 to IDE Adapter with Power Supply



- Connects one IDE external device to a Hi-Speed USB 2.0 port to transfer, back-up and store files
- Supports data transfer speeds of up to 480 Mbps
- Fits external IDE and enhanced IDE hard disks and CD/DVD drives up to 5.25"
- Supports 48-bit LBA for drives over 138 GB
- Plug and Play; Windows and Mac compatible; hot-swappable

40-pin / 44-pin

**205054**

## Hi-Speed USB 2.0 to SATA Adapter with Power Supply

- Connects one SATA 150 external device to a Hi-Speed USB 2.0 port
- Quickly transfer, back-up and store files using existing SATA 150 external drives
- Ideal for external SATA devices without an enclosure – fits 2.5" to 5.25"
- Plug and Play for quick and easy desktop PC or notebook installation

Hi-Speed USB 2.0 to SATA 150 (L-type)

**205078**

## USB Game Port Adapter

- Enables analog game controllers to interface with USB connections
- Supports popular controllers and gaming modes
- Plug and Play and four-mode switch support easy installation and calibration

DB15 to USB

**168199**

# USB DATA TRANSFER



## USB Line Extender

- Requires (1) RJ-45 Patch Cable of up to 150 ft.
- Embedded transceivers enhance signal and prevent signal loss
- Windows 98/Me/2000/XP/Vista & Mac OS compatible

**171632**

## Hi-Speed USB 2.0 Data Link Cable

- Quickly and easily transfer files via USB ports
- Hot pluggable - connect while computer is running
- No external power necessary
- Plug and Play - automatic detection and installation of peripherals
- Windows XP/Vista compatible

USB A Male to USB A Male, 2 m (7 ft.)
**365925**

## Hi-Speed USB 2.0 Active A to B Cable

- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps
- Built-in repeater helps maintain Hi-Speed USB 2.0 signal quality, electrical and timing specifications
- Overcomes the 5 m (16 ft.) USB distance limitation – ideal for connecting most USB printers
- Provides a single, nondaisy-chainable extension for maximum distance of 11 m (36 ft.)
- Plug and Play; Windows and Mac compatible – bus-powered requires no external power supply

A Male / B Male, Silver, 11.0 m (36 ft.)
**510424**

519779

## Hi-Speed USB 2.0 Active Extension Cable

- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps
- Built-in repeater helps maintain Hi-Speed USB 2.0 signal quality, electrical and timing specifications
- Overcomes the 5 m (16 ft.) USB distance limitation – ideal for connecting enclosures and other peripherals
- Plug and Play; Windows 98/Me/2000/XP/Vista and Mac compatible – bus-powered requires no external power supply

- Daisy-chain up to three extensions for total distance of 15 m (50 ft.)

**519779** A Male / A Female, Silver, 5.0 m (16 ft.)

- Provides a single, nondaisy-chainable extension for maximum distance of 9.8 m (32 ft.)

**510462** A Male / A Female, Black, 5.0 m (16 ft.)

510462

# USB CONVERTERS

## Serial To USB Converter

- Connects a modem, Palm PC, digital camera or any serial device to a USB port
- Supports baud rates from 1.2 kbps to 115.2 kbps
- Windows 98/Me/2000/XP compatible

**205146**

## Dual Serial To USB Converter

- Connects up to two modems, Palm PCs, digital cameras or any serial (RS-232) devices to a USB port
- Supports baud rates from 1.2 k to 115.2 k
- Windows 98/Me/2000/XP/Vista compatible

**174947**

## USB to SCSI II Converter

- USB A to DB50/HP male (SCSI II)
- Use existing SCSI peripheral devices
- Windows 98/Me/2000 compatible

**326605**

## Parallel Printer to USB Converter, Cen36 Male to USB A, 6 ft. (1,8 m)

- IEEE 1284 Compliant
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/Me/2000/XP compatible

**317474** 6 ft. **317405** 10 ft.

## Parallel to USB Converter, DB25 to USB A

- Creates a printer compatible DB25 F port
- Windows 98/Me/2000/XP compatible

**336581** 6 ft.

## Dual PS/2 to USB Converter

- Connects a PS/2 mouse and keyboard on a USB port
- No external power required
- Support: Windows 98/Me/2000/XP/Vista, Mac OS 8.6 above

**364966**

## SVGA To Hi-Speed USB 2.0 Converter

- Allows an additional video display
- Supports resolutions of up to 1024 x 768 in 32 bit color
- Hot pluggable - connect while computer is running
- No external power necessary
- Plug & Play - automatic detection and installation of peripherals
- Mirror function
- Windows 2000/XP/Vista compatible

**174145**

# USB ADAPTERS

## Hi-Speed USB 2.0 Infrared Adapter

- Provides convenient data transfer for PDAs, notebooks, printers, mobile phones, or any other Infrared device
- Up to 3.3 ft. operating range
- IrDA 1.0 and 1.1 compliant
- 2,400 bps to 4 Mbps transfer rates
- Windows 98/Me/2000/XP compatible

**171656**



## Bluetooth Adapter

- Establishes wireless connections between Bluetooth-enabled computers, peripherals and other devices
- Piconet and scatternet compatible
- Built-in security and protective cover
- Plug and Play installation; Windows 2000/XP compatible

**176088** Hi-Speed USB 2.0, Class 2, Range 33 ft. **176071** Hi-Speed USB 2.0, Class 1, Range 328 ft.

# USB HUBS

519694

## USB Sharing Hub

- Ideal for connecting a notebook and a home PC to your USB devices
- Individual toggle switches to select USB devices for each computer
- 2 Ports for connecting to 2 different computers
- Bus powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

Share 4 USB Devices Between 2 Computers
**519694**

Share 4 Hi-Speed USB 2.0 Devices Between 2 Computers
**522908**

## Hi-Speed USB 2.0 Mini Hub

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Overcurrent protection
- Bus or AC powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

Utilizes space-saving power adapters

4 Port, With Power Adapter
**522977**

## Bus Powered Multimedia Access Hub

- Moves USB, PS/2, and audio ports to the top of your desk for easy access
- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Speaker / microphone audio ports
- Keyboard / mouse PS/2 ports
- Overcurrent protection
- Bus powered
- USB ports are hot-swappable

8 Port, Bus Powered
**174244**

## Bus Powered Hi-Speed USB 2.0 Mini Hub

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Overcurrent protection
- Compatible with all USB-equipped computers
- 100% hot-swappable

4 Port, Bus Powered
**522892**

## Bus Powered USB 1.1 v Pocket Hub, 4 Ports

- Provides 4 USB ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Bus powered
- Overcurrent protection
- Compatible with all USB-equipped computers
- 100% hot-swappable

**516419**

# USB HUBS

## Hi-Speed USB 2.0 Hub, 7 Ports

- Provides 7 Hi-Speed USB 2.0 ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Overcurrent protection
- Bus and AC powered
- Compatible with all USB-equipped computers
- 100% hot-swappable

With Power Adapter
**519816**

## Bus Powered Hi-Speed USB 2.0 Pocket Hub, 4 Ports

- Provides 4 Hi-Speed USB 2.0 ports for additional peripherals
- Compact size - ideal for both desktop and notebook computers
- Bus powered
- Overcurrent protection
- Compatible with all USB-equipped computers
- 100% hot-swappable

4 Port, Bus Powered
**522717**

4 Port, With Power Adapter, Bus or AC Powered
**519380**

## Easy Dock Multi-Port Docking Station

- Compact size - ideal for both desktop and notebook computers
- 4 port Hi-Speed USB 2.0 hub
- 10/100 RJ-45 port
- DB9 serial port
- 2 PS/2 ports
- Overcurrent protection
- USB ports are hot-swappable
- LED indicators on all ports
- Windows 98SE/Me/2000/XP compatible

**172905**

## Hi-Speed USB 2.0 Internal Hub, 4 Ports




350310

349284

- Provides 4 Hi-Speed USB 2.0 front-mount ports for additional peripherals
- Offers overcurrent detection and protection
- Plug and Play and hot swappable capabilities
- Easy installation in any 3.5" drive bay for convenience and accessibility

3.5", Bay Mount, Black NEW
**350310**

3.5", Bay Mount, Beige
**349284**

# EXTERNAL HARD DRIVE INTERFACE SOLUTIONS

**MANHATTAN External Enclosures can help quickly and easily transfer, share and archive data and expand storage capacities for desktop and notebook PCs. These durable, compact enclosures feature aluminum construction to help dissipate heat and protect vital data from loss.**

## External Enclosure, IDE/Hi-Speed USB 2.0

- Supports Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps
- Lightweight, compact design requires no external power adapters for increased portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard (IDE) drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

**702898** 2.5″

**702935** 3.5″, On/Off Switch

**702966** 5.25″, On/Off Switch

702935

702966

## External Enclosure, FireWire/Hi-Speed USB 2.0 Combo

- Supports data transfer rates for Hi-Speed USB 2.0 up to 480 Mbps and FireWire IEEE 1394 up to 400 Mbps
- Lightweight, compact design increases portability
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard 3.5″ PATA (IDE) drives with easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

**702904** 2.5″

**702942** 3.5″

**702973** 5.25″

702942

## External Enclosure, eSATA NEW

- Supports SATA data transfer rates up to 3 Gbps
- Lightweight, compact design ideal for portable storage
- Sturdy aluminum case protects drive and facilitates cooling
- Fits standard 2.5″ or 3.5″ SATA drives with easy, quick installation – includes rear-mount power switch
- Windows and Macintosh compatible, Plug and Play, hot swappable

**700498** eSATA, 2.5″, Windows Vista Compatible

**700504** eSATA, 3.5″, Windows Vista Compatible

**700641** Hi-Speed USB 2.0, eSATA, 2.5″

**700511** Hi-Speed USB 2.0, eSATA, 3.5″, Windows Vista Compatible

700504

## External Enclosure, eSATA/Hi-Speed USB 2.0

- Supports data transfer rates for up to 480 Mbps
- Lightweight, compact design ideal for portable storage
- Sturdy aluminum case protects drive and facilitates cooling
- Windows and Macintosh compatible, Plug and Play, hot swappable

**702959** Hi-Speed USB 2.0, eSATA, 3.5″, Silver

**700788** Hi-Speed USB 2.0, SATA, 3.5″, Silver NEW

**700818** Hi-Speed USB 2.0, SATA, 2.5″, Silver NEW

**The Home Entertainment and Computer worlds are coming closer together and MANHATTAN is there to meet your needs. We offer simple-to-install USB devices for video capture, sharing boxes, tuner cards and USB peripherals. Convert your aging analog VCR tapes to file format and burn to CD for safe storage; transform your PC to an entertainment station with our video capture cards and attachments; reduce equipment costs with switch boxes and sharing devices.**
**And as always, all products come with a Lifetime Warranty.**

### MPEG-4 Audio/Video Capture Box

- Captures audio and video from source to your computer
- Hi-Speed USB 2.0 data transfer rate for best video recording
- Capable of 25 or 30 frames per second
- USB powered
- Plug and Play
- Resolutions supported: 720x480, 720x576

**174039**

### Hi-Speed USB 2.0 Audio/Video Grabber

- Hi-Speed USB 2.0 data transfer for best video recording
- Encoding in MPEG I/II format directly with Instant MPEG technology
- Up to 30 frames per second
- Snapshot function support
- Powerful video editing software
- Low power consumption – ideal for notebook/portable computers
- Supports brightness, hue, contrast, saturation, and sharpness control
- Plug and Play
- No batteries required

**173582**

**Monitor Cable**

**301091** DVI 29-pin Male / Triple RCA Male, 6 ft.

**301107** HD15 Male / Triple RCA Male, 6 ft.

### Audio/Video Switchbox

- Manual switchbox for your electronic components – video game system, VCR, DVD, receiver, etc.
- 4 RCA Triple Cinch inputs
- 4 S-video inputs
- 1 RCA Triple Cinch output
- 1 S-video output
- 1 headphone output

**174152**

## TV TUNERS

### LCD TV Converter/Tuner

- Watch broadcast, cable or satellite TV on LCD/CRT/plasma monitor or projector
- Directly connects to monitor or projector — no computer, software or driver required
- Built-in TV tuner and multiple video ports support DVD, game consoles and digital cameras
- Enhanced 3D motion-adaptive de-interlacing delivers clear, stable images with up to 1280 x 1024/1440 x 960 resolution
- Easy installation and function control with automatic source mode detection, automatic channel scanning and programming, adjustable high-resolution output mode and multi-language on-screen display
- Full-function remote control selects channels, input source, volume and more from anywhere in the room

**176156**

### Hi-Speed USB 2.0 Analog TV Stick

- Receive analog television broadcasts on notebook and desktop computers — supports most global TV standards
- Compact design requires no external power for clear, crisp reception almost anywhere
- Easily schedule and directly save programs to hard drive for replay or transfer to CD
- Advanced functions include digital video recording, automatic station searching, customizable favorites and time shifting
- Plug and Play and USB installation; Windows compatible

**176125**

# TV TUNERS

## PC to TV Converter

- Use TV as PC monitor to view presentations, games, pictures and movies or browse the Web
- Connects a VGA port to TV – ideal for computers without a TV-out connector
- Enables notebook computer users to easily connect and use a large-format monitor
- Adjust and set preferences with onscreen display and front-mount control panel
- Compact, portable size and USB power requires no external supply or adapter – use almost anywhere
- Simple and quick to install
- Windows and Mac compatible

**150095**

## PCI Analog TV Tuner Card

- Receive analog TV and FM broadcasts on desktop computers — enjoy up to 200 TV channels
- Easily schedule and directly save programs, snapshots and clip recordings to hard drive for replay or transfer to CD
- Time-shifting replays favorite scenes, skips advertising and enables pause/rewind/fast forward control
- Multi-Channel Preview displays up to 16 channels simultaneously
- Intelligent Channel Search, customizable favorites and closed-captioning and teletext service support
- Plug and Play; Windows compatible — fits low-profile or standard form factors

**176132**



## MPEG II TV Tuner/Capture PCI Card

- Made specifically for high end systems with Microsoft XP Media Center Edition
- Watch television (Full Screen or windowed) and listen to FM radio on your computer
- Program Guide for scheduling shows to record
- Up to 125 cable channels available for surfing
- Capture video in MPEG II format for best quality
- Capture audio in MPEG I layer 2 format
- Record FM radio in MP3 format
- Capture single or a sequence of still images
- Album feature for still image capture
- Power-up scheduling
- Wireless remote control with receiver, FM antenna, and software included
- Card includes:IR sensor input, FM input, Cable input, Audio output, S-Video input, RCA video input, Audio input

**174053**

## TV Tuner

- Watch television, play video games, and view videos on your monitor at exceptional resolutions – up to 1280 x 1024
- Up to 125 cable channels (NTSC) / 106 channels (PAL) available for surfing
- PiP(picture-in-picture) support – View the TV image in a window
- PoP (picture-on-picture) support – preview 9 programs at the same time
- Superior noise reduction
- 29-key remote control
- Resolutions supported: 640 x 480 @ 60 Hz/75 Hz, 800 x 600 @ 60 Hz/75 Hz, 1280 x 768 @ 60 Hz/75 Hz (Mac), 1024 x 768 @ 60 Hz/75 Hz, 1280 x 1024 @ 60 Hz/75 Hz
- Input / output options: Cable input, Audio input/output, S-video input, RCA video input, VGA input/output

**174190**

**Monitor Cable**

**301091** DVI 29-pin Male / Triple RCA Male, 6 ft.

**301107** HD15 Male / Triple RCA Male, 6 ft.

# 8 SPEAKERS THAT SURROUND YOUR HEAD

# 8 SPEAKER SURROUND SOUND HEADSETS

MANHATTAN

Bringing Computers To Life

# MANHATTAN™

## Bringing Computers To Life

Introducing the new line of MANHATTAN Headsets, featuring only the best-selling, time-proven products. You can now choose from a full-range of headsets.

LIFETIME WARRANTY

# STEREO HEADSETS

## Personal Cinema Headset

- 8 individual speakers: (2) front, (2) rear, (2) center, (2) subwoofer
- Delivers the absolute ultimate PC DVD movie experience
- Dolby Digital AC-3
- Digital DTS 5.1 Surround Sound
- Bundled with WinDVD 5 for DVD playback and InterVideo WinRip 2 for audio playback
- Bass response includes speaker vibration
- USB interface – Plug and Play
- Removable microphone
- Built in amplifier chip

**173735**

## Noise Cancelling Stereo Headphones

- Active and passive technology reduces background noise in airline cabins and busy offices
- Enjoy music, movies and quiet relaxation during travel to arrive rested and less fatigued
- Improve concentration and work productivity with fewer annoying distractions
- Adjustable headband and padded ear cushions provide comfortable fit and wear
- Connects via standard 3.5 mm stereo plug to most media sources
- In-line battery pack provides up to 30 hours of use
- Includes airline audio adapter

**176163**

## Bluetooth Monaural Headset

- Lightweight, wireless connection for most Bluetooth-enabled mobile telephones — also supports Skype
- Easily pairs with notebook PCs and other Bluetooth-enabled devices to receive wireless audio
- Versatile design offers earplug with flexible clip for all-day comfort or earphone for harsh weather and outdoor activities
- Answer/end/reject/transfer call, volume, microphone mute, power on/off and redial functions
- Up to six hours of continuous talk time and 200 hours of standby time; easy setup — no drivers required

**175340**

## Bluetooth Stereo Headset

- Enjoy clear voice and stereo reception with most Bluetooth-enabled devices – never miss a call while listening to music
- Add wireless convenience to notebook and desktop PCs, MP3 players, Skype and other Bluetooth-enabled audio sources
- Comfortable, behind-the-neck design with built-in microphone folds for travel and storage
- Control Bluetooth mobile phone and audio functions directly from the headset
- USB cable that quickly recharges when connected to computer and power sleep mode provide up to six hours of use
- Easy set-up – no drivers required

**175944**

# STEREO HEADSETS

## Deluxe Stereo Headset with In-Line Microphone

- Comfortable padded earphones
- Self-adjusting padded inner headband adapts to individual head size
- Completely encapsulates the ears
- Super bass system
- Exceptionally loud volume
- Adjustable volume control with built-in microphone
- 1/8 in. female to 1/4 in. male stereo adapter included

**177931**

## Classic Stereo Headset

- Comfortable padded cloth ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Super bass system
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

**175555**

## Stereo Headset

- Comfortable padded ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

**175517**

## Vintage Stereo Headset

- Comfortable padded leather ear cushions
- Stainless steel headband
- Adjustable support adapts to individual head size
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Lightweight, stylish design
- Metallic-colored ear covers
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

**175548**

## Behind-The-Neck Stereo Headset

- Comfortable padded earphones
- "Behind-The-Neck" headband prevents hair style damage
- Flexible stainless steel microphone boom for hands-free communication
- Padded microphone eliminates pop noise
- Extremely durable cable with nylon mesh protective jacket
- Adjustable volume control

**175524**

## Ear-Hook Stereo Headset

- Comfortable padded earphones
- Adjustable ear-hooks for secure fit
- Lightweight design for comfort, 1.1 oz. (31 g)
- Adjustable volume control

**175494**

**Related Product**

Speaker/Headset Switching Hub
p. 14

# HEADSETS & MICROPHONES

## Stereo Headset

- Stereo Headphone with Foam Earpads
- Microphone for hands free communication
- Adjustable volume control

Stereo Headset
**164429**

## Single Ear Headset

- 6ft. cord
- 3.5 mm plug
- Flexible boom microphone

**173070**

## Stereo Earphones NEW

- Properly directs sound to the ear for improved audio reproduction and noise isolation
- Comfortable and secure in-the-ear fit
- Unobtrusive and lightweight profile ideal for travel, activity and personal listening
- Ideal for notebook computers and portable media players with 3.5 mm jack

**173056** Stereo Earphones, Silver

**176187** Stereo Earphones, Black

**176217** Stereo Earphones with Inline Microphone, Volume and Mute Controls, White

## Speaker/Headset Switching Hub

- Easily switch between speakers and headset
- Volume control
- 3.5 mm plug for speakers and headset
- 2.5 mm plug for hands-free earphones
- On/Off switch for microphone
- 5 ft. cord

**172851**

## Desktop Boom Microphone NEW

- Adjustable microphone can be set to many different positions
- Suitable for multimedia, voice recognition and Internet applications
- Omni-directional electret-condenser microphone
- Heavy duty cable with nylon mesh protective jacket

**175500**

## Adjustable Gooseneck Microphone

- Condenser microphone
- Base rotates boom to any angle
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for desktop use or screen mount

**173964**

## Microphone

- Condenser microphone
- Mounts in any position
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for lapel clip or screen mountScreen Mount or Clip-On
- Condenser microphone
- Mounts in any position
- For multimedia, gaming, voice recognition and Internet applications
- Includes hardware for lapel clip or screen mount

**173940**

**MANHATTAN Web Cameras help improve online communications and experiences with high quality photos and video. With simple, one-button operation and easy-to-use software, these cameras capture crisp and clear images and smooth, steady video to share with family and friends. Their compact size and Plug and Play installation make them ideal accessories for desktop and notebook PCs at home, in the office or on the road.**

## 1.3 M Pixels Mega Cam

- Compatible with popular instant messengers for enhanced online communications
- White and infrared LED lighting improves images in low-light and other conditions
- Capture and share photos and video — software simplifies settings and operation
- Flexible gooseneck mount ideal for notebook PCs and travel
- Comes with face identity software
- Ready to use — Plug and Play installation
- Windows 98/Me/2000/XP/Vista compatible

**460415** USB, Built-In Lighting

**460422** USB, Built-In Lighting, Includes headset with built-in microphone

## Pro Cam

- Compatible with popular instant messengers for enhanced online communications – includes built-in microphone
- White and infrared LED lighting improves images in low-light and other conditions
- Capture and share photos and video – software simplifies settings and operation
- Flexible USB mount ideal for notebook PCs and travel
- Ready to use – Plug and Play installation
- Windows 98/Me/2000/XP/Vista compatible

**460392** USB, Built-In Lighting and Microphone, 300k Pixels

- Includes headset with built-in microphone

**460408** USB, Headset, Built-In Lighting, 300k Pixels

## Mini Cam

- Compatible with popular instant messengers for enhanced online communications
- Capture and share photos and video — software simplifies settings and operation
- Sturdy base with clip and adjustable post folds for travel and mounts almost anywhere
- Ready to use — Plug and Play installation
- Windows 98/Me/2000/XP compatible

**460378** USB, 350k Pixels

**460385** USB, Headset, 350k Pixels

## Economy Mini Cam

- Capture and share photos and video — software simplifies settings and operation
- Compact size for easy storage and transport
- Adjustable clip base for easy attachment to laptop or desktop systems
- Ready to use — Plug and Play installation
- Windows 98SE/Me/2000/XP compatible

**460668** USB, 300k Pixels

# MANHATTAN™

BRINGING COMPUTERS TO LIFE

Introducing the new line of MANHATTAN Mice, featuring only the best-selling, time-proven products. You can now choose from a full-range of mice – compact mini, wireless and lighted to optical, scroll and Bluetooth-compatible devices.

LIFETIME WARRANTY

## Laser Optical Mouse

- Preferred gaming mouse
- Laser technology for precise tracking on nearly any desktop, even most glass or mirrored surfaces
- 30 times more sensitive than standard optical mice
- 3 buttons include multi-function wheel
- **1600 dpi resolution**

**174916**

## Wireless Presentation Mouse NEW

- Powerful built-in laser pointer helps highlight important topics
- 2.4 GHz wireless technology offers freedom and range up to 15 m (50 ft.)
- Functions as presentation pointer and 500 dpi desktop mouse — ideal for travel
- Ergonomic design for comfortable use with either hand
- USB receiver with Plug and Play installation
- Compatible with Windows 98SE/Me/2000/XP/Vista; Mac OS X 10.2 and above

**176569**

## Optical Mini-Mouse

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **800 dpi resolution**

Silver and Blue, USB
**174107**

Silver and Black, USB
**173780**

Silver and Red, USB
**174114**

Black, USB, **Retractable Cable extends up to 30"**
**173773**

## Wireless Optical Mini-Mouse

- Compact design with built-in receiver storage compartment – perfect for notebook computers
- RF wireless with 1.0 m (3.2 ft.) operational range – no line of sight required
- Two buttons with multifunction wheel for scroll and zoom
- Optical sensor offers pinpoint accuracy on almost any surface, with 800 dpi resolution
- No charger required; sleep mode saves battery power
- Easy installation; Plug and Play

MANHATTAN SOLUTION!

USB, Built-In Receiver Storage
**175968**

## High Performance Optical Mouse

- Multifunction wheel for scroll and zoom
- Optical Sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- **800 dpi resolution**

USB, Black and Silver
**171861**

USB, Red and Silver
**171854**

USB, Blue and Silver
**171793**

## Standard Optical Mouse – Case Quantity Only

- Multifunction wheel for scroll and zoom
- Optical Sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- **800 dpi resolution**

PS/2, Silver and Black
**171540**

USB, Silver and Black
**176392**

Free Customization
Quantity 2000+/order

**Related Product**

Wrist-Rest Mouse Pad
p. 60

## Optical Scroll Touchpad Mouse NEW

- Combines the speed and agility of a touchpad with the familiar mouse shape and functionality – no scroll wheel
- Four-way touchpad and two-button design improve scrolling performance for navigating Web browsers, spreadsheets and large documents
- Optical sensor offers 800 dpi resolution with pinpoint accuracy for use on nearly any surface
- Easy installation and maintenance; Plug and Play, with no moving parts to clean
- **800 dpi resolution**

USB
**175975**

## Multimedia Optical Mouse



173827

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multimedia control: play / stop / pause / volume up & down / Internet back & forward
- Multi-function wheel for scroll and zoom
- Four-direction scroll - up/down/left/right
- Scrolls up to 30 lines per revolution - 25% more efficient than other mice
- **800 dpi resolution**

Multimedia, USB
**173827**

Sculpted

## Deluxe Multimedia Optical Scroll Mouse

175982

- Sculpted shape provides exceptional comfort and fit
- Four buttons with multifunction wheel for scroll and zoom
- Thumb buttons control Web browser page forward and back functions
- Volume Up/Down, Forward/Reverse and Play/Pause buttons control multimedia functions
- Optical sensor offers pinpoint accuracy for use on nearly any surface
- Easy installation; Plug and Play
- **800 dpi resolution**

USB
**175982**

## Wireless Optical Mouse with Recharging Base

- RF Wireless — Line of sight not required
- 5 ft. (1,5 m) operational range
- Multi-function wheel for scroll and zoom
- Optical sensor scans 1500 times per second for pinpoint accuracy on almost any surface
- Low battery indicator
- Requires 2 AA rechargeable batteries (included)
- Base unit charges backup set of batteries for uninterrupted performance
- **800 dpi resolution**

USB
**174985**




## Optical Scroll Mouse – Legacy Version

167833

- Optical sensor scans 1,500 times per second for pinpoint accuracy on almost any surface
- Multifunction wheel for scroll and zoom
- **800 dpi resolution**

PS/2, White
**167833**

USB, White
**167840**

## Standard Scroll Mouse – Legacy Version

169844

- Opti-mechanical technology - offers better resolution than standard mice
- Multifunction wheel for scroll and zoom
- **400 dpi resolution**

PS/2, Black
**169844**

USB, Black
**169851**

# SPEAKERS

## 5000 Series 5.1 Multimedia Speaker System

- Full-range speakers enhance multimedia experiences – ideal for games, movies and music
- Front-firing subwoofer radiates deep bass response
- Separate channel controls adjust to suit preferences, media and room acoustics
- Contemporary styling complements flat-panel monitors and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 20 W + 5 W x 5

4 Satellites, 1 Center + Subwoofer, Black
Subwoofer: 10.8 x 5.9 x 8.86 in. (275 x 150 x 225 mm) (w x h x d)
Speakers: 3.75 x 3.15 x 4.75 in. (95 x 80 x 120 mm) (w x h x d)

**160360**

## 3300 Series 2.1 Multimedia Speaker System

- Full-range speakers deliver rich, powerful sound – ideal for games, movies and music
- Down-firing subwoofer radiates deep bass response
- Separate volume and bass controls
- Subtle design elements complement flat-panel displays and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 20 W + 10 W x 2

2 Satellites + 1 Subwoofer, Black/Silver
Subwoofer: 8.5 x 6.6 x 9.45 in. (215 x 170 x 240 mm) (w x h x d)
Speakers: 3.15 x 3.5 x 5.25 in. (80 x 90 x 133 mm) (w x h x d)

**160490**

## 3200 Series 2.1 Multimedia Speaker System

- Full-range speakers deliver rich, powerful sound – ideal for games, movies and music
- Down-firing subwoofer radiates deep bass response
- Separate volume and bass controls
- Sleek, black cabinets complement flat-panel displays and decor
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 6 W + 1 W x 2

2 Satellites + 1 Subwoofer, Black/Silver
Subwoofer: 7.2 x 5.5 x 7.68 in. (185 x 140 x 195 mm) (w x h x d)
Speakers: 3.75 x 3.15 x 4.72 in. (95 x 80 x 120mm) (w x h x d)

**160520**

## 2500 Series Speaker System

- Full-range, self-powered speaker system
- Volume control, headphone jack, LED power indicator
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver
Speakers: 3.75 x 3.64 x 6.8 in. (95 x 67 x 175 mm) (w x h x d)

**160810**



## 2300 Series Speaker System

- Full-range, self-powered speaker system
- Removable stands with tilt adjustment and optional wall mount
- Volume control, LED power indicator and cloth grills
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver
Speakers: 3.4 x 3.62 x 6.10 in. (87 x 92 x 155 mm) (w x h x d)

**160780**

## 2100 Series Speaker System

- Full-range, self-powered speaker system
- Volume control, headphone jack, LED power indicator and cloth grills
- Shielded to prevent distortion and maintain clear, crisp sound
- RMS power 3 W x 2

2 Speakers, Black/Silver
Speakers: 2.8 x 3.70 x 6.7 in. (72 x 94 x 172 mm) (w x h x d)

**160650**

## Wireless Multimedia Keyboard & Mouse Set

- Sleekly styled optical mouse, keyboard and receiver set with power management mode
- 27 MHz RF wireless technology with base receiver — operating distance up to 1.5 m (5 ft.)
- 2 full-size shift keys, separate cursor/navigation controls and Power, Sleep and Wake management keys
- 12 hotkeys offer quick, one-touch access to frequent multi-media and Internet functions
- Ergonomic key layout with generous work area and adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista

RF, PS/2, Black and Silver
**172554**

RF, USB, Black and Silver
**175579**

## Wireless Slim Multi-Media Keyboard with Optical Trackball NEW

- Secure, reliable performance for home, office, conference room and entertainment applications
- 2.4 GHz RF wireless technology with USB receiver — operating distance up to 12 m (40 ft.)
- Ergonomic key arrangement with built-in optical trackball, two-button mouse and Wake key
- 18 hotkeys offer quick, one-touch access to frequent multi-media, browsers and Windows functions
- Automatic power save management and error detection ability
- Lightweight, compact and stylish design with adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista and Mac OS X 10.2 and above

USB, 2.4 GHz, Silver and Black
**176460**

## Multi-Media Keyboard

- Efficient design helps improve comfort and productivity — ideal for upgrade applications
- Ergonomic key arrangement with Power, Sleep and Wake keys
- 12 hotkeys offer quick, one-touch access to multi-media and Internet functions
- Low-force key switches provide quiet and positive tactile response
- Adjustable tilt mechanism offers comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista

PS/2, Black and Silver
**172974**

USB, Black and Silver
**172417**

## Advanced Multi-Media Keyboard NEW

- Modern design, advanced key switch technology with multi-media conveniences
- Scissor-style (X-structure) key switches reduce typing noise and offer precise keystroke response
- Ergonomic key arrangement with full-size keys
- 12 hotkeys offer quick, one-touch access to frequent multi-media, sleep and shutdown functions
- 2 built-in Hi-Speed USB 2.0 ports allow connection of additional peripherals
- Thin profile with generous work area and adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista

USB, 2 Port Hi-Speed USB 2.0 Hub, Scissor (X-Structure) Keys, Black
**176644**

## Ultra Slim Multimedia Keyboard NEW

- Razor-thin design offers modern style with full functionality — ideal for small workspaces
- Scissor-style (X-structure) key switches reduce typing noise and offer precise keystroke response
- Ergonomic key arrangement with built-in full-size keys and compact layout
- 7 hotkeys offer one-touch access to frequent multi-media functions
- Flat profile and adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista

USB, Scissor (X-Structure) Keys, Black, 13 in. x 8 in. x 0.5 in.
**176361**

*Mouse not included.*

## Slim Keyboard NEW

- Thin, modern design complements flat-screen displays, computers and peripherals
- Scissor-style (X-structure) key switches reduce typing noise and offer precise keystroke response
- Ergonomic key arrangement with full-size keys and compact layout
- Flat profile and adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows Me/2000/XP/Vista

USB, Scissor (X-Structure) Keys, Black, 18 in. x 7 in. x 0.4 in.
**176385**

*Mouse not included.*

## Enhanced Keyboard NEW

- Streamlined, durable design ideal for new systems and replacement applications
- Ergonomic key arrangement with Power, Sleep and Wake keys
- Spill-resistant, low-force key switches provide quiet and positive tactile response
- Adjustable tilt mechanism offer comfortable typing positions
- Compatible with Windows 98SE/Me/2000/NT/XP/Vista

PS/2, Beige
**176484**

PS/2, Black
**176422**

176422

USB, Black
**176439**

## Foldable Keyboard

- Virtually indestructible design suitable for almost any environment
- Ergonomic key arrangement with Power, Sleep and Wake keys
- Dust-, moisture- and spill-resistant key switches and flexible, tough case
- Lightweight and ideal for travel — easy to store
- Compatible with Windows Me/2000/XP/Vista

USB & PS/2 Combo, Blue
**172059**

## Numeric Keypad NEW

- 19 full-size keys including backspace key
- Asynchronous number lock function operates independently of computer keypad for faster numeric data entry
- Scissor (X-structure) key switches reduce typing noise, improve response and provide low-profile keystrokes
- Ultra slim and lightweight – ideal for notebook computer users
- Compatible with Windows Me/2000/XP

USB, Ultra Slim, Asynchronous
**176354**

# GRAPHICS TABLETS

## Graphics Tablet

- Complete with wireless pen and 2-button scroll mouse
- 1,024-level pressure sensitive, cordless pen
- Up to 4,064 lpi high resolution
- Customize pen button for fast browsing up/down and left/right
- Make handwriting notes/drawings on the Internet and in any application program
- Bundled UC-Logic PenSuite Pro software included
- Compatible with Windows 98/2000/Me/XP

5.5" x 4" Tablet Size
**174572** 600 VA / 300 W

8" x 6" Tablet Size
**174459**

## Graphics Tablet NEW

- Sophisticated design tool helps create and edit digital art — also supports handwriting recognition, signature capture and authentication, pen navigation and more
- Oversized active area ideal for graphic designers, document annotation and tracing, digital whiteboard presentations and large monitors
- Wireless three-button mouse with scroll and programmable three-button pen provide precise cursor positioning and dynamic option control
- 20 hotkeys with three customizable keys provide quick, one-touch access to frequent menu commands and applications
- Compatible with Windows and Mac systems; includes full-version Corel Painter Essential 3, Corel Photo Album 6 and UC-Logic PenSuite software

USB, Wireless Mouse and Pen, 9" x 12" / A4
**176040**

## Neoprene Notebook Sleeve NEW

- Use alone or slip into a larger notebook bag for additional storage and portable protection options
- Snug, cushioned fit offers extra protection from spills and mishandling
- Dual strap handles provide secure and confident transport
- Durable, lightweight construction with textured exterior and scratch-resistant interior

Great for Graphics Tablets

**438490**
- Fits both 174572 and 174459
- Protects notebooks with up to 15.4" screens
- Dimensions: 13.5 x 11.375 x 1.75 in

**438506**
- Protects notebooks with up to 16" screens
- Dimensions: 14.75 x 12 x 1.75 in

**438513**
- Protects notebooks with up to 17" screens
- Dimensions: 16 x 12.5 x 1.75 in.

# BARCODE SCANNERS

**MANHATTAN is the leading manufacturer of reliable, performance-packed barcode scanners for small to medium-sized businesses. Our products are designed to meet the needs of almost every application. From pharmaceutical and retail point-of-sale applications to inventory control in manufacturing to shipping applications, there's a MANHATTAN barcode scanner that will satisfy your needs.**

**MANHATTAN Barcode Scanners read the following codes:**

- ALL UPC/EA/JAN
- Code 39
- Code 39 FULL ASCII
- Code 128
- Interleave 25
- Matrix 25
- CODABAR/NW7
- BC 412
- Code 11
- MSI/PLESSEY
- Code 93
- China Postage
- Code 32/Italian Pharmacy
- Industrial 25

## Contact CCD Barcode Scanner

- Keyboard Wedge Decoder displays data as if entered from keyboard
- Wide scan field provides quick, accurate reads
- Easy to install and use – no software required

**400367** 80 mm, USB, White

**460002** 80 mm, PS/2, White

**401517** 80 mm, USB, Black NEW

## Long Range CCD Barcode Scanner

- Keyboard Wedge Decoder displays data as if entered from keyboard
- Reads barcodes up to 30 cm (12 in.) away
- Easy to install and use – no software required

**400954** PS/2

**400961** USB

## Barcode Scanner Gooseneck Stand

- Use as a convenient holder or scan directly from the stand
- Adjustable gooseneck aims keeps scanner steady for reliable, accurate reads
- Suitable for table, counter or wall mount
- 26 cm (10 in.) maximum height
- Compatible with MANHATTAN 400954 and 400961 Barcode Scanners

**401241**

# UNINTERRUPTIBLE POWER SUPPLIES

## Line Interactive UPS

- Advanced protection for PC and Mac systems against power outages, sags, surges and line noise
- Built-in microprocessor maintains proper charge, provides consistent power output and helps extend battery life
- Automatic voltage regulation (AVR), cold start capability and diagnostics
- 480 Joules telephone, fax and network surge protection
- Fuse protection from overload and short circuit events
- LED and audible alert system and power management software help monitor critical functions
- $100,000 connected equipment guarantee (US and Canada only)

**168120** 500 VA / 300 W

**168175** 1000 VA / 600 W

## Line Interactive UPS

- Advanced protection for PC and Mac systems against power outages, sags, surges and line noise
- Built-in microprocessor maintains proper charge and provides diagnostics to help extend battery life
- Cold start capability provides temporary battery backup during power disruptions
- 220 Joules surge protection
- Circuit breaker protection offers quick recovery from overload and short circuit events
- LED and audible alert system helps monitor critical functions
- $100,000 connected equipment guarantee (US and Canada only)

**168212** 600 VA / 300 W

**168229** 1000 VA / 500 W

## Line Interactive UPS

- Advanced protection against power outages, sags, surges and line noise
- RISC-based microprocessor maintains proper charge, provides consistent power output and helps extend battery life
- Built-in expansion slot for optional SNMP card
- Automatic voltage regulation (AVR), cold start capability and diagnostics
- 1120 Joules telephone/fax and network surge protection
- Circuit breaker protection offers quick recovery from overload and short circuit events
- LED and audible alert system and power management software help monitor critical functions
- $100,000 connected equipment guarantee (US and Canada only)

**168205** 2000 VA / 1400 W, Rackmount

# SURGE PROTECTORS

### Surge Protector for Home Use

- 750 joules, modem or fax protection
- 6 outlets, 1 input/1 output phone jack
- Protection indicator LED
- Lighted On/Off reset switch
- EMI / RFI noise filter
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- $50,000 Equipment Protection Guarantee (US & Canada only)
- **6 ft. heavy-duty cord**
- Mounts to wall or other flat surface (Hardware not included)

**570800**

### Surge Protector for Business

- 2,720 joules, modem or fax protection
- 8 Outlets, 1 input /2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 Outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs – Red means faulty, Green means OK
- $250,000 Equipment Protection Guarantee (US & Canada only)
- **6 ft. heavy-duty cord**
- Mounts to wall or other flat surface

**570831**

### Surge Protector for Network

- 2,840 joules, modem or fax protection
- Coaxial cable protection - 4 jacks
- 8 outlets, 1 input/2 output phone jacks
- Lighted On/Off reset switch
- EMI / RFI noise filter
- 3 outlets for AC adapters
- Resettable circuit breaker
- Three-line surge protection (hot, neutral, ground)
- Wiring fault and protection LEDs – Red means faulty, Green means OK
- $400,000 Equipment Protection Guarantee (US & Canada only)
- **12 ft. heavy-duty cord**
- Mounts to wall or other flat surface (Hardware not included)

**570848**

### Surge Strip 90 Joules

- 6 outlets 110 V
- Maximum load of 15 Amps 125 Volts 60 Hz
- Integrated circuit breaker switch
- Listed under UL 1363; CSA listed
- Automatic circuit breaker shuts off when there is a power overload of 15 Amps; push switch to reset

**307192** Heavy duty cord, 3.0 ft



# POWER CABLES

### Power Strip Liberator, Polybag

- Use with AC adapters to allow access to standard surge protector plugs, 1 ft.

**301428** **303040** 5-pack



### Power Extension Y-Cable 12"

- Male - 2 x Female

**303064** **303071** 5-pack

## Universal Tool Kit

- Heavy duty, custom molded carrying case
- Mini vacuum cleaner with attachments
- Soldering iron, solder wick and solder
- Ratchet driver with 57 interchangeable ends
- Assorted crimp-on wire connectors
- Hammer
- Flashlight
- 9 piece allen wrench set
- Brush
- 6 sizes of precision screw drivers (Phillips and flat head)
- Precision hobby knife
- Wire ties
- Wire cutters
- Needle nose pliers with built in wire cutter
- Wire stripper
- Crimper
- Antistatic chip inserter
- Antistatic chip extractor
- Antistatic three prong parts & chip retriever/extractor
- Antistatic chip tweezers
- 2 AA batteries
- Magnetic telescoping pick up tool
- Electric voltage tester

**530217**



## Technician's Tool Kit

16 Piece Kit

- Soldering iron, solder wick, and solder
- Antistatic chip inserter, antistatic chip extractor, antistatic threeprong parts & chip retriever/extractor, antistatic chip tweezers
- Needle nose pliers
- Extra parts tube
- 1/4" nut-driver
- 3/16" nut-driver
- T10 & T15 torque screwdriver
- (2) Phillips head screwdrivers: small and standard
- (2) Flat head screwdrivers: small and standard

**530071**

## Basic Computer Tool Kit

13 Piece Kit

- Antistatic chip inserter, antistatic chip extractor, antistatic three prong parts & chip retriever/extractor, antistatic chip tweezers
- 1/4" nutdriver
- 3/16" nut driver
- T-15 star-type screwdriver
- #1 Phillips screwdriver, #0 Phillips screwdriver
- 3/16 slotted screwdriver, 1/8" slotted screwdriver
- extra parts tube
- Vinyl zipper case

**400077**

# ATX COMPUTER POWER SUPPLIES

- 12 V DC "low noise" internal fans
- Integrated on/off power switch
- Short circuit protection for reliable operation
- Lifetime Warranty

## Computer Power Supplies, Non-UL Listed

- Provides a steady, safe and reliable power source – ideal for new systems, replacement or upgrade applications
- Internal fan delivers quiet and efficient cooling
- Short circuit protection prevents power sag and spike damage to critical components
- Multiple built-in connectors allow quick and easy peripheral installation without adapters
- Passive power factor correction (PFC) reduces environmental interference with nearby electrical devices (EU models only)

**101387** ATX, 300 Watt, P4 Compatible

**168519** ATX, 350 Watt, P4 Compatible

## Computer Power Supplies, UL Listed

- Quiet and efficient internal fan
- Protect system by shutting off power at the power supply with an integrated shut-down switch
- Protects components with Short Circuit Protection
- Multiple power connections including SATA and 12V AUX
- Passive PFC version available for EU, for less environmental interference.

**173988** ATX, 350 Watt, P4 Compatible, Passive PFC

**174008** ATX, 420 Watt, P4 Compatible, Dual Fan, Active PFC

| | **101387** 300 Watt Non-UL Listed | **168519** 350 Watt Non-UL Listed | **173988** 350 Watt UL Listed | **174008** 420 Watt UL Listed |
|---|---|---|---|---|
| 20 + 4 Pin | x 1 | x 1 | x 1 | x 1 |
| FDD | x 1 | x 1 | x 1 | x 1 |
| P4 MB | x 1 | x 1 | x 1 | x 1 |
| SATA | x 1 | x 1 | x 1 | x 1 |
| 4 Pin Molex | x 4 | x 4 | x 6 | x 6 |
| 6 Pin Aux. (PCI-E) | | | x 1 | x 1 |

## Digital Power Supply Tester NEW

- Quickly diagnose power supply units – save time, avoid system damage and data loss
- Accepts 20- or 24-pin ATX, 4-, 6-, and 8-pin CPU, 4-pin FDD, 4-pin Molex (HDD) and SATA power connectors
- Voltage indicator safely and accurately detects voltage presence
- Easy-to-read, backlit LCD display with audible alarms and LED indicators
- Sturdy, lightweight and compact aluminum case – ideal for toolkits and technician benches

**101530** ATX, 20- or 24-pin

## ATX 20-to-24 Pin Adapter



- Connector: 20-pin female to 24-pin male.
- Ideal for converting 20-pin ATX power supply to 24-pin Motherboard.
- Extends the length of ATX motherboard power supply cable

**370219** Power Adapter, 5 in.

# HARD DRIVE DOCKING KITS

450737

451109

### Hard Drive Docking Kit

- Easily converts standard IDE hard drive into a portable drive
- Ideal for users needing hard drives in multiple locations, i.e. office and home
- Protects data from unauthorized access
- Installs into any 5.25" bay
- Lockable, 2 keys included
- Mounting hardware included

***AVAILABLE IN JULY***

**451123** SATA 150 Hard Drives, Aluminum, 1 Fan, Black

**451109** SATA 150 Hard Drives, Plastic, 1 Fan, Black

**450737** Ultra ATA 133/100/66 IDE Hard Drives, Aluminum, 3 Fans

***AVAILABLE IN JULY***

**451130** Ultra ATA 133/100/66 IDE Hard Drives, Plastic, 3 Fans

# MOUNTING KITS

### FDD Mounting Frame

- Universal mounting frame for a 3.5" floppy drive into a 5.25" bay
- Includes mounting hardware

**433556** Plastic, Black

422475



424547

### HDD Mounting Kit

- High quality, durable metal rails
- Includes mounting hardware

3.5" to 5.25" mounting kit
**422475**

- Easily adapts 2.5" notebook drives for use in 3.5" desktop bays

2.5" to 3.5" mounting kit with 40-44 pin adapter
**424547**

## Socket 7 / A CPU Cooler NEW

- Made for Socket A or Socket 7 CPUs
- Cools CPUs up to 1.8 GHz
- Total Dimensions: 75x80x55 mm
- 3pin connector

**337946** Aluminum Heat Sink

## Socket 7 / 370 CPU Cooler

- Made for Socket 7 (AMD® K6, K6-2, K6-3, Cyrix, Pentium MMX + non-MMX) and Socket 370 Processors (Tualatin and Coppermine Celeron & Pentium III, VIA C3)
- Cools CPUs up to 1.4 GHz
- Airflow: 26.2 CFM (4000 RPM)

**700252** 3-pin power connector

**700580** 4-pin pass-through power connector

## Socket T CPU Cooler NEW

- Lightweight, rugged aluminum heat sink and crotched-fin construction provide effective thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4 processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

**702812** Supports Intel P4 LGA 775

## Socket 478 CPU Cooler NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever lubricated bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4 processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

**702829** Supports Intel Pentium 4

## Socket A/462/370 CPU Cooler NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with nanometer ceramic bearing delivers quiet, reliable cooling
- Helps protect AMD processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

**702836** Supports AMD Sempron 3000+ and Athlon XP3000

## Socket T/672/930 CPU Cooler NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever-lubricated bearing delivers quiet, reliable cooling
- Helps protect Intel Pentium 4/D processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

**702843** Supports Intel Pentium 4/D LGA 775

## Socket 939/940 CPU Cooler NEW

- Lightweight, rugged aluminum heat sink construction provides effective thermal conductivity and dissipation
- High-efficiency fan with ever-lubricated bearing delivers quiet, reliable cooling
- Helps protect AMD processors from heat damage
- Easy installation; ideal for new systems, upgrades and replacements

**702850** Supports Athlon 64 - 3800+, Athlon 64FX - 53, Opteron to 848 MHz and Sempron to 3100+

## CPU Thermal Grease

- Use to increase thermal conductivity between CPU and heat sink
- Components: Silicone (50%), Carbon (20%), Metal Oxide (20%), Silver Oxide (10%)
- Thermal Conductivity: >1.729 W/m-k, Thermal Impedance: <0.242 C-in2/Watt
- 1.5 grams

**701662**

## System Cooler

- Mounts in standard PCI slot
- 4-pin pass-through power connector
- Airflow: 31 CFM

**210140**

## Hard Drive Cooler

- Aluminum tray
- 4-pin pass-through power connector
- 60 mm fan

**210799** Dual High-Speed Fans, Airflow: 16.4 CFM

## Video Card Chipset Cooler

- Spring clip mounting
- 3-pin power connector

**701334** Aluminum Radial Fin Heat Sink

**701402** Standard version

701334

701402

## Case/Power Supply Fan – Includes Screws

### Ceramic Bearing

**702034** 80 x 80 x 25 mm, 3-Pin

### Ball Bearing

- Air Flow: max. 31 CFM, Noise Level: max. 30 dBA

**701747** 80 x 80 x 25 mm, 3-Pin

**700894** 80 x 80 x 25 mm, 4-Pin

**700863** 60 x 60 x 25 mm, 4-Pin

**700887** 92 x 92 x 25 mm, 4-Pin

**700924** 120 x 120 x 25 mm, 4-Pin

### Sleeve Bearing

- Air Flow: max. 31 CFM, Noise Level: max. 29 dBA

**700955** 80 x 80 x 25 mm, 3-Pin

- Air Flow: max. 31 CFM, Noise Level: max. 25 dBA

**700320** 80 x 80 x 25 mm, 4-Pin

- Air Flow: max. 4.8 CFM, Noise Level: max. 28 dBA

**700665** 40 x 40 x 10 mm, 4-Pin

- Air Flow: max. 16.32 CFM, Noise Level: max. 29 dBA

**700313** 60 x 60 x 20 mm, Ball-Bearing, 4-Pin

- Air Flow: max. 27 CFM, Noise Level: max. 25 dBA

**700337** 92 x 92 x 25 mm, Ball-Bearing, 4-Pin

- Air Flow: max. 70 CFM, Noise Level: max. 36 dBA

**701655** 120 x 120 x 25 mm, Ball-Bearing, 4-Pin

# CARD READERS

## Multi-Card Reader/Writer NEW

- Automatic Card Detection helps to easily access and manage content almost anywhere — No power supplies or adapters required
- Compatible with Memory Stick, Secure Digital, MultiMedia and XD
- Supports slot-to-slot read/write/copy and USB mass storage functions
- Data transfer rates up to 480 Mbps
- Compatible with Windows 98SE/Me/2000/XP/Vista and Mac OS 9.0 or higher

**100717**

175906

## Multi-Card Reader/Writer

- Easily access cards and manage content with slot-to-slot read/write/copy capability
- Compatible with CompactFlash, Microdrive, Magicstor, Memory Stick, MagicGate, SecureDigital, Multimedia, SmartMedia, XD and TransFlash
- Supports automatic card detection, hot swapping and Plug and Play
- Eliminates need for direct connection with media device
- Data transfer rates up to 480 Mbps
- Compatible with Windows 98SE/2000/Me/XP/Vista and Mac OS 9.X or later

**175432** Silver

**175906** Black NEW

## Multi-Card Reader with Built-In Multi-Media Panel NEW

- Easily access cards and manage content with slot-to-slot, drag-and-drop capability
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia
- Supports automatic card detection, hot swapping and Plug-and-Play
- Convenient front-mount USB, FireWire, microphone and audio ports
- Compatible with Windows 98SE/2000/Me/XP/Vista and Mac OS 9.X or later

**702775**

700344

## Internal Card Reader

- Compatible with CompactFlash, Microdrive, Magicstore, Memory Stick, MagicGate, SecureDigital, Multimedia, SmartMedia and TransFlash
- Supports automatic card detection, hot swapping and Plug-and-Play
- Convenient front-mount USB port
- Data transfer rates up to 480 Mbps
- Compatible with Windows 98SE/2000/Me/XP/Vista

**701419** Beige

**700344** Black

## Smart Card Reader

- Compatible with friction-type, contact smart cards
- Ideal for transactions and applications requiring secure information exchanges
- Supports host communication speeds up to 12 Mbps
- Plug and Play – installs quickly and easily

**172844** USB, Contact Reader, External

## USB Floppy Disk Drive

- Slim design - ideal for desktop and notebook computers
- Plug and Play - automatic detection and installation
- No external power required
- Windows 98/2000/Me/XP and Mac OS 9.1, 9.2.2, 10.1 and 10.2 compatible

**700856**

# HI-SPEED USB 2.0 CARDS






### Hi-Speed USB 2.0 PCI Card

- Each port supports Hi-Speed USB 2.0 transfer rates of up to 480 Mbps
- VIA chipset
- Windows 98SE/Me/2000/XP compatible

**167741** 2 External Ports

**169011** 3 External & 1 Internal Ports

**171557** 4 External Ports

### Hi-Speed USB 2.0 PCI Express Card NEW

- Easily adds five Hi-Speed USB 2.0 ports to desktop computers
- Each port supports data transfer rates of up to 480 Mbps
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Plug and Play installation; Windows compatible; hot-swappable

**160391** Four external ports plus one internal port, x1 lane

### Hi-Speed USB 2.0 PC Card

- Each port supports Hi-Speed USB 2.0 transfer rates of up to 480 Mbps
- Compatible with any 32 bit PC Cardbus Type II PCMCIA slot
- NEC chipset
- Windows 98SE/Me/2000/XP & Mac OS 8.6 and above compatible

**516167** 2 Ports

# FIREWIRE CARDS



### FireWire PCI Card

- Each port supports FireWire speeds of up to 400 Mbps
- Compliant with IEEE 1394-1995 and IEEE Proposal 1394A
- VIA chipset
- Windows 98SE/Me/2000/XP compatible

**167024** 3 External Ports

**168588** 3 External Ports Plus Video Editing Software

### FireWire 400 PCI Express Card

- Easily adds two FireWire 400 ports to desktop computers
- Each port supports data transfer rates of up to 400 Mbps
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses
- 12 V DC connector uses bus power to recharge and supply connected FireWire devices
- Plug and Play installation; Windows and Mac compatible

**160353** Two ports, x1 lane

### FireWire PC Card

- Each port supports FireWire speeds of up to 400 Mbps
- Compliant with IEEE 1394-1995 and IEEE Proposal 1394A
- Windows 98SE/Me/2000/XP compatible

**512411** 2 External Ports

### FireWire 400 ExpressCard/34

- Each port supports FireWire speeds of up to 400 Mbps
- Compliant with IEEE 1394-1995 and IEEE Proposal 1394A
- Windows 98SE/Me/2000/XP compatible

**515016** Two ports

# CONTROLLER CARDS

## SATA 150 Controller PCI Card

- Supports SATA 150 data transfer rates of up to 1.5 Gbps
- Supports RAID Level 0 (striping)
- Supports RAID Level 1 (mirroring)
- RAID functionality requires at least 2 hard drives
- Windows 98SE/Me/NT/2000/XP compatible

**172943** 2 Internal Ports

## SATA II PCI Express Card, 2 Port



- Supports 1-lane 2.5 Gbps PCI Express and SATA II transfer rate of 3.0 Gbps
- Native Command Queuing (NCQ) and Legacy Command Queuing (LCQ) support maximizes drive efficiency and reduces latency
- Fits regular or low profile PCI slots
- Silicon Image chipset
- Drivers and manual included
- Windows NT/2000/Server 2003/XP compatible

**150040**

## ATA 133 RAID PCI Express Card



- Easily adds one internal ATA 133 port to desktop computers
- Supports data transfer rates of up to 133 MBps and drives above 137 GB
- Provides JBOD, RAID 0 (striping) and RAID 1 (mirroring)
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Plug and Play installation; Windows compatible

**160537** One internal port, x1 lane

## SATA 300 RAID PCI Express Card

- Easily adds two internal SATA 300 ports
- Each port supports SATA 3 Gbps throughput, drive size supports over 137 GB
- Provides RAID 5 (distributed parity RAID), JBOD, RAID 0 (striping), RAID 1 (mirroring) and RAID 0+1 (mirrored-striping)
- Low-profile form factor fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Plug and Play installation; Windows compatible

**160377** Two internal SATA ports, x1 lane

## Internal SATA To External SATA Bracket

- Supports data transfer speeds up to 3.0 Gbps
- Connects external I-type SATA devices to internal L-type SATA controllers
- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

**150026** L-Type To I-Type Bracket, 2 Ports

## Internal SATA To External SATA Bracket

- Supports data transfer speeds up to 3.0 Gbps
- Connects external I-type SATA devices to internal L-type SATA controllers
- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

**300803** L-Type To I-Type Bracket, 1 Port

## Ultra ATA/133 Controller PCI Card

- Supports up to 4 IDE/ATA devices
- Supports RAID Level 0 (striping)
- Supports RAID Level 1 (mirroring)
- Supports RAID Level 0+1 (mirrored striping)
- 100% compatible with all IDE hard drives, DVD, CD-ROM and ZIP drives
- Fits regular or low profile PCI slots

**168298**

### SATA 150 CardBus PC Card

- Adds 2 SATA ports to notebook for external storage access
- Each port supports transfer rates of up to 1.5 Gbps
- Silicon Image chipset
- Driver CD and manual included
- Windows 98/Me/NT 4.0/2000/XP/Vista compatible

**150019**

### Hi-Speed USB 2.0 and FireWire 400 Combo ExpressCard/34

- Easily adds two FireWire 400 ports and one Hi-Speed USB 2.0 port to notebook computers
- Supports data transfer rates of up to 400 Mbps for FireWire 400 and 480 Mbps for Hi-Speed USB 2.0
- Fits ExpressCard/34 and ExpressCard/54 slots
- Built-in DC jack provides direct power to external FireWire and USB devices
- Plug and Play installation; Windows and Mac compatible; USB hot-swappable

**515252** One Hi-Speed USB 2.0 and two FireWire 400 ports

### Serial/Parallel Combo PCI Express Card

- Easily adds configurable serial and parallel ports to a desktop computer
- Supports serial data transfer rates of up to 115,200 bps and parallel data transfer rates of up to 1.5 Mbps
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Supports legacy PCI device addresses, two UART serial ports and SPP, PS2, EPP and ECP modes
- Plug and Play installation; Windows compatible

**160483** Two serial ports plus one parallel port, x1 lane

### SATA 300 ExpressCard/34

- Easily adds dual SATA 300 ports to a notebook computer
- Supports transfer rates of up to 3 Gbps
- Suitable for ExpressCard/34 and ExpressCard/54 buses
- Plug and Play installation; Windows compatible; hot-swappable

**515245** Two ports

### PCI Express to ExpressCard Adapter

- Spring mechanism smoothly seats and ejects ExpressCards
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Plug and Play installation; Windows compatible

**160513** Supports Express Card/34 and Express Card/54

## SOUND CARDS

### PCI Sound Card

173032

175357



173124

- Easily installs in desktop computers to provide an enhanced multimedia experience
- Ideal for headphones and up to four-channel speaker systems
- Full-duplex playback and recording with sampling rate of up to 48 khz
- Supports HRTF 3D positional audio, DirectSound 3D and A3D interfaces
- Plug and Play, Windows compatible

**173032** 4 Channel with Game/MIDI port

**173124** 5 Channel with Game/MIDI port

**175357** 7 Channel

# SATA/IDE CONVERTERS

### IDE to SATA 150 Converter

- Use with any IDE hard drive, DVD, CD or CD-RW drive
- Allows IDE drives to operate with SATA 150 controllers
- 1.5 Gbps transfer rate
- SATA 1.0 compliant

**170598** Vertical Connection



170598

### SATA 150 to IDE Converter

- Supports Any SATA 150 Device with transfer rates of up to 1.5 Gbps
- Mini-Board Design Minimizes Wasted Space
- Vertical bridge

**170000**

# PARALLEL CARDS

### Parallel PCI Card

- Supports EPP and SPP modes
- Fully Supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Compatible with ISA parallel port addresses for use with legacy devices
- Windows 98/Me/2000/XP & DOS / Linux compatible

**324007** 1 External DB25 Port



### Dual Parallel PCI Card

- Supports EPP, ECP, BPP and SPP modes
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Compatible with ISA parallel port addresses for use with legacy devices
- Windows 98/Me/2000/XP & DOS/Linux compatible

**165297** 2 External DB25 Ports

### Parallel PCI Express Card

- Easily adds configurable parallel ports to a desktop computer
- Supports data transfer rates of up to 1.5 MBps
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Supports legacy PCI device addresses and SPP, PS2, EPP and ECP modes
- Plug and Play installation; Windows compatible

**160469** One port, x1 lane

**160476** Two ports, x1 lane



# MODEMS

### 56 K Modem PCI Card

- Supports data transmission up to V.92 (56 kbps data download rate & 33.6 kbps data transmit rate)
- Supports fax transmission up to V.29 (9,600 bps transmission rate)
- Supports voice transmission including software speakerphone
- Hayes compatible for instant installation
- Windows 3.1x / 95 / 98/Me/2000/XP & DOS / Linux compatible

**153577** Data / Fax / Voice Modem



### 56 K USB External Modem

- Easy USB installation – no external power supply needed
- Quick Connect, Modem On-Hold, auto dial/answer, tone/pulse dialing and improved download speeds
- Supports Digital Telephone Answering Machine (TAM) and point-to-point video telephony and conferencing
- Downstream speeds up to 56 kbps
- Windows 98/Me/NT 4.0/2000/XP/Vista compatible

**154048**

# SERIAL CARDS

### Serial PCMCIA Card

- Creates a DB9 Com port
- Fast 16C950 high-performance UART chipset
- Compatible with any 32 bit PC Cardbus Type II PCMCIA slot
- Windows 98SE/Me/2000/XP compatible

**171519** 1 External DB9 Port

### Serial PCI Card

- One high-speed 16550 UART serial DB9 Com port
- Maximum throughput of 115.2 kbps
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Windows 98SE/Me/2000/XP compatible

**165976** 1 External DB9 Port

**165273** 2 External DB9 Ports

**175586** 4 Port Adapter


165273


175586

### Low Profile Serial PCI 2.2 Compliant Card

- 80 mm bracket for use with Flex or Slim-line cases
- One High-speed 16550 UART serial DB9 Com port
- Fully supports PCI IRQ sharing
- Automatically selects IRQ and IO address
- Windows 95 / 98SE/Me/2000/XP compatible

**166614** 1 External DB9 Port



### Serial PCI Express Card

- Easily adds two configurable serial ports to desktop computers
- Fits PCI Express x1, x2, x4, x8 and x16 lane buses
- Supports legacy PCI device addresses and two UART serial ports
- Plug and Play installation; Windows compatible

**160414** One port, x1 lane

**160452** Two Ports, x1 Lane

160414


160452

# CABLE MANAGEMENT

## Cable Cover

- Includes easy cable loader
- Flexible
- Protects equipment and cables
- Perfect for wire management
- Provides for better ventilation
- Great for wiring closets

**420846** 15 mm diameter, 2.5 m



**420860** 25 mm diameter, 2.5 m

## Cable FlexWrap

- Easy to use
- Protects equipment and cables
- Perfect for wire management
- Great for wiring closets
- Flexible

**502962**



## Cable Concealer

- Easy to use
- Protects equipment and cables
- Great for high-traffic areas
- Flexible

**420969** 1.8 m x 6 cm

## Cable Away

- Easy to use
- Protects equipment and cables
- Perfect for wire management
- Great for desktop and laptop environment
- Durable hard-plastic construction

**420945** 70 mm diameter




**42095**2 90 mm diameter

## Guide Wire Wall Clips

- Easy to use
- Protects equipment and cables
- Perfect for wire management
- Great for wiring closets

**420990**



## Cable Wall Clips

- Easy to use
- Protects equipment and cables
- Perfect for wire management
- Great for wiring closets
- Self-adhesive

**502979**



## Cable Clamp

- Easy to use
- Protects equipment and cables
- Great for wire management
- Reusable
- Reinforced plastic design

**420983** 14 Clamps

**420976** 100 Clamps

# USB CABLES

## Hi-Speed USB 2.0 Device Cable
### A Male / B Male

- USB Type A male to USB Type B male
- Connects a USB device to a USB hub or computer
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

**380003** Silver, 6 ft
**380010** Silver, 10 ft
**380027** Silver, 15 ft
**380065** Black, 6 ft
**380072** Black, 10 ft
**380089** Black, 15 ft

## Hi-Speed USB 2.0 Device Cable

- USB Type A male to USB Type Mini B male
- Connects a USB device to a USB hub or computer
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

**380188** A to Mini 5-pin, Silver, 6 ft.
**380249** A to Mini 4-pin, Silver, 6 ft.

## Hi-Speed USB 2.0 Device Cable
### A Male / A Female

- USB Type A male to USB Type A female
- Extends a USB cable to a maximum of 16 ft
- Speeds of up to 480 Mbps
- Hi-Speed USB 2.0 for ultra-fast data transfer rates – with zero data degradation

**380096** Silver, 6 ft.
**380102** Silver, 10 ft.
**380119** Silver, 15 ft.
**380157** Black, 6 ft.
**380164** Black, 10 ft.
**380171** Black, 15 ft.

# FIREWIRE CABLES

## FireWire Device Cable
### Male / Male

- Meets or exceeds all IEEE 1394 specifications, providing unsurpassed data transmission and integrity

**380508** 6-Pin / 6-Pin, Black, 6 ft.
**380522** 6-Pin / 4-Pin, Black, 6 ft.
**380546** 4-Pin / 4-Pin, Black, 6 ft.

**MANHATTAN Reorder Card**

MANHATTAN offers special tags to make the re-ordering of your best selling products quick & easy!

**800655** 25 pack

# PRINTER CABLES

## Parallel Printer to USB Converter

- IEEE 1284 Compliant
- Plug & Play - automatic detection and installation of peripherals
- Windows 98/2000/Me/XP compatible

**317474** Cen36 Male to USB A, 6 ft.
**317405** Cen36 Male to USB A, 10 ft.

## Printer Cable

- Connects any PC with a DB25 parallel port to a printer or other Centronics 36 device
- Meets or exceeds IEEE 1284 standards for ultra-fast, error-free bi-directional performance

**380652** Cen36 / DB25 Male, 6 ft.
**380669** Cen36 / DB25 Male, 10 ft.

# DATA CABLES

## Data Cable

**380782** DB9 Male / DB9 Female, Beige, 6 ft.
**380751** DB25 Male / DB25 Male, Beige, 10 ft.
**380768** DB25 Male / DB25 Female, Beige, 6 ft.
**380775** DB25 Male / DB25 Female, Beige, 10 ft.

# POWER CABLES

## Power Extension Cable

- PC power US
- Extends US PC power cables

**382762** U.S, Black, 6 ft.
**382809** U.S, Black, 10 ft.
**382885** US, Laptop "Figure 8" to 2 Prong, Black, 6 ft.
**382922** US, Male to Female, Black, 12 in.

382762

382885



382922

# ADAPTERS




## Adapter

**382496** DB9 Male / DB9 Male, Beige
**382502** DB 9 Female / DB9 Female, Beige
**382519** HD15 Male / HD15 Male, Beige
**382526** HD15 Female / HD15 Female, Beige
**382540** DB25 Female / DB25 Female, Beige
**381093** DVI-A/D Dual Link Female to HD15 Male, Beige
**381109** DVI-A/D Dual Link Male to HD15 Female, Beige

# KEYBOARD/MOUSE CABLES

## Keyboard / Mouse Cable

• Extends any mouse cable
**380829** PS/2 Male / PS/2 Female, 6 ft.
**380836** PS/2 Male / PS/2 Female, 10 ft.
**380850** PS/2 Male / PS/2 Male, 6 ft.

# MONITOR CABLES

## Monitor Cable

• Fully shielded – Ideal for all monitor sizes and types

**SVGA**

**380911** HD15 Male / HD15 Female, Black, 6 ft.
**380928** HD15 Male / HD15 Female, Black, 10 ft.
**380935** HD15 Male / HD15 Female, Black, 15 ft.
**380942** HD15 Male / HD15 Male, Black, 6 ft.
**380959** HD15 Male / HD15 Male, Black, 10 ft.
**380966** HD15 Male / HD15 Male, Black, 15 ft.
**383684** HD15 Male to 5 x BNC Male, Black, 10 ft.
**383677** HD15 Male / 5 x BNC, Black, 15 ft.

**DVI**

**381048** DVI -D Single Link / DVI-D Single, Beige, 6 ft.
**381055** DVI-A Male to HD15 Male, Beige, 6 ft.
**381062** DVI-D Single Link / HD15 Male, Beige, 6 ft.
**381079** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 6 ft.
**383653** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 15 ft.
**383660** DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige, 10 ft.
**381116** HD15 Male to 5 x BNC Male, Black, 10 ft.
**383646** HD15 Male / 5 x BNC, Black, 15 ft.
**383707** DVI-A/D Dual Link Male to HD15 Female, Beige, 15 ft.

**HDMI**

**383103** HDMI Male to DVI-D 24+1 Male, Dual Link, Black, 6 ft.
**383110** HDMI Male to DVI-D 24+1 Male, Dual Link, Black, 10 ft.
**383080** HDMI Male to HDMI Male, Shielded, Black, 6 ft.
**383097** HDMI Male to HDMI Male, Shielded, Black, 10 ft.

# AUDIO/VIDEO CABLES

## RCA Cable

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

**361231** Single Cinch RCA to Single Cinch RCA, Blue, 5 ft.
**361248** Single Cinch RCA to Single Cinch RCA, Blue, 10 ft.
**361255** Single Cinch RCA to Single Cinch RCA, Blue, 16 ft.
**361842** Component Male to Male, Blue, 26 ft.
**361262** Dual Cinch RCA to Single Cinch RCA, Blue, 5 ft.
**361279** Dual Cinch RCA to Single Cinch RCA, Blue, 10 ft.
**361286** Dual Cinch RCA to Single Cinch RCA, Blue, 16 ft.
**361736** Dual Cinch RCA to Single Cinch RCA, Blue, 33 ft.
**361187** Dual Cinch RCA to Dual Cinch RCA, Blue, 5 ft.
**361194** Dual Cinch RCA to Dual Cinch RCA, Blue, 10 ft.
**361200** Dual Cinch RCA to Dual Cinch RCA, Blue, 16 ft.
**361705** Dual Cinch RCA to Dual Cinch RCA, Blue, 33 ft.
**361163** Triple Cinch RCA to Triple Cinch RCA, Blue, 5 ft.
**361156** Triple Cinch RCA to Triple Cinch RCA, Blue, 10 ft.
**361170** Triple Cinch RCA to Triple Cinch RCA, Blue, 16 ft.
**361682** Triple Cinch RCA to Triple Cinch RCA, Blue, 33 ft.

361187


361231

361187

## Stereo to RCA Cable

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

**361217** 3.5 mm Stereo to Dual Cinch RCA, Blue, 5 ft.
**361224** 3.5 mm Stereo to Dual Cinch RCA, Blue, 10 ft.

361217

## S-Video Cable

Carries brightness and color signals on separate synchronized signal-ground pairs for improved image reproduction.

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

**361293** S-Video Male to Male, Blue, 5 ft.
**361330** S-Video Male to Male, Blue, 10 ft.
**361354** S-Video Male to Male, Blue, 16 ft.
**361767** S-Video Male to Male, Blue, 33 ft.

361354

## Component Video Cable

Keeps the source signal within the conductor to minimize loss and block interference from external sources.

- Component male to male
- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

**361804** Component Male to Male, Blue, 5 ft.
**361811** Component Male to Male, Blue, 10 ft.
**361835** Component Male to Male, Blue, 15 ft.

# AUDIO/VIDEO CABLES

## Toslink Cable

Improves digital audio quallity by reducing distortion from inductance, capacitance and resistance.

- Heavy gauge cable with nylon mesh protective jacket
- Corrosion resistant gold plated contacts for best data transmission
- Heavy duty strain relief

**361361** Toslink Male to Male, Blue, 5 ft.
**361415** Toslink Male to Male, Blue, 10 ft.
**361422** Toslink Male to Male, Blue, 16 ft.
**361774** Toslink Male to Male, Blue, 33 ft.

## Audio/Video Cable

- RCA Dual Cinch male to Mini-1/8" male
- Connects any RCA computer to a Mini-1/8" device

**381178** RCA Dual Cinch Female / Mini 1/8" Male, Black, 10 in.
**383189** S-Video / RCA Single Cinch, Black, 6 ft.
**383196** S-Video / RCA Single Cinch, Black, 10 ft.
**383202** S-Video / RCA Single Cinch, Black, 16 ft.
**383714** Mini 1/8" Male / Mini 1/8" Female, Black, 12 ft.

# HDTV CABLES

## Monitor Cable

- Ensures signal integrity and reduces need for multiple adapters
- Shielded cable and contacts, molded PVC boot and strain-relief design

**384414** HD15 Male / Triple RCA Male, 6 ft.
**384421** DVI 29-pin Male / Triple RCA Male, 6 ft.

# INTERNAL CABLES

## Internal SATA to External SATA Bracket

- Supports data transfer speeds up to 3.0 Gbps
- Connects external I-type SATA devices to internal L-type SATA controllers
- Flat internal cable design for more efficient airflow
- Fits regular PCI slots

**150026** L-Type To I-Type Bracket, 2 Ports

## Internal Drive Cable

- 3-connector Ultra 133 cable
- Connects up to 2 IDE devices
- Meets Ultra 133 specifications — full shielding
- Round for increased air flow

**381345** 3 Connector / 2 Device, Ultra 133, Round, Silver, 18 in.
**381338** 3 Connector / 2 Device, Ultra 133, Round, Silver, 24 in.

# INTERNAL CABLES

## Internal Power Cable

- Power 4-pin male to 2 x power 4-pin female
- Adds an additional power 4-pin

**381284** Power 4-Pin Male / 2 x Power 4-Pin Female, 8 in.
**381307** 4-Pin Male/Female Pass-Through + 3-Pin Male Fan Connection, 8 in.
**381314** Power 4-Pin Male / 2 x 15-Pin Female, 8 in.

# NETWORK CABLES

## Network Cable, Cat5e, 350 MHz

### RJ-45 Male / RJ-45 Male, Molded Boot, Snagless

- Impedance Matched - Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free transmission.
- Gold Plated Contacts - Gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.
- Unique PVC Jacket - Exclusive polymer technology provides unsurpassed durability and flexibility
- Snag Free Boots - Prevent cable tangling and broken connector retaining clips when pulling cable
- Strain Relief - Increases strength while sustaining maximum flexibility even under extreme conditions
- Standards Tested - Meet or exceed current Cat5e proposed standards

**389877** Blue, 1 ft
**381451** Blue, 3 ft
**381468** Blue, 7 ft
**381475** Blue, 10 ft
**389884** Blue, 14 ft

## Network Cable, Cat6

### RJ-45 Male / RJ-45 Male

- Impedance Matched - Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free transmission.
- Gold-Plated Contacts - Gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.
- Unique PVC Jacket - Exclusive polymer technology provides unsurpassed durability and flexibility
- Snag-Free Boots - Prevent cable tangling and broken connector retaining clips when pulling cable
- Strain Relief - Increases strength while sustaining maximum flexibility even under extreme conditions
- Standards Tested - Meets or exceeds Cat6 standards

**389914** Blue, 1 ft
**381949** Blue, 3 ft
**381956** Blue, 7 ft
**381963** Blue, 10 ft
**389921** Blue, 14 ft


Strain Relief
Dynamic molded design adds strength while sustaining maximum flexibility even under extreme conditions.
Unique Jacket
Exclusive polymer technology provides unsurpassed durability and flexibility.
Snag-Free Boot
Prevents cable tangling and broken connector retaining clips when pulling cable.
Impedance Matched
Wire and connectors are carefully matched to virtually eliminate echoing and cancellation, guaranteeing high-speed, error-free data transmission.
Gold Plated Contacts
24k gold plating eliminates corrosion and provides maximum conductivity to ensure data integrity.

# VIDEO SPLITTERS

## Professional Video Splitter

- Duplicates a video signal for up to 2 VGA outputs
- 400 MHz signal bandwidth
- Separate adjustable output level and line equalization controls
- HD 15 connections
- Computer-to-splitter range: 24.5 ft.
- Video splitter-to-monitor range: 164 ft.
- Connectors: 1 HD15 male, 2 HD15 female

**175135** 2-Port, Adjustable Output and Equalization Levels

## DVI Video Splitter *NEW*

- Duplicates and boosts one DVI signal for up to 4 DVI outputs
- 200 MHz signal bandwidth – supports single and dual DVI signals
- DVI-I female connections fit analog or digital monitors
- Lifetime Warranty
- Computer-to-splitter range: 1.8 m (6 ft.)
- Video splitter-to-monitor range: 1.8 m (6 ft.)
- Connectors: 3 DVI-I female
- Supports DDWG standards and resolutions up to 1600 x 1200 (DDBC2B)
- 12 V DC / 500 mA power adapter included

**175142** 2-Port

**176507** 4-Port

## Professional Video Splitter

- 350 MHz signal bandwidth
- Automatic power save when VGA input is lost
- HD15 connections
- Computer-to-video splitter range: 25 ft.
- Video splitter-to-monitor range: 210 ft.

**169349** 2 port, Connectors: 1 HD15 male, 2 HD15 female

**169356** 4 port, Connectors: 1 HD15 male, 4 HD15 female

**169363** 8 port, Connectors: 1 HD15 male, 8 HD15 female

## Video Splitter

- 150 MHz signal bandwidth
- HD15 connections
- Computer-to-video splitter range: 25 ft.
- Video splitter-to-monitor range: 165 ft.
- Supports up to 1600 x 1280 resolution

**171007** 2 port, Connectors: 1 HD15 male, 2 HD15 female

**171014** 4 port, Connectors: 1 HD15 male, 4 HD15 female

**171021** 8 port, Connectors: 1 HD15 male, 8 HD15 female

**Related Product**

3-in-1 Spider Cables
p. 50

# HDMI/DVI REPEATERS AND SWITCHES

### HDMI Repeater

- Easily extends HDMI cable up to 165 ft. for convenient monitor or projector placement
- Maintains multiple HD resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Single-box extension solution boosts and equalizes digital transmissions to help reduce "sparkles"

**208024** 1 input + 1 output, HDMI cable extender

### DVI Repeater

- Easily extends DVI cable 50 m (165 ft.) for convenient monitor or projector placement
- Maintains multiple HD resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Single-box extension solution boosts and equalizes digital transmissions to help reduce "sparkles"

**208031** 1 input + 1 output, DVI cable extender

### HDMI Switch

- Easily select between multiple high-definition sources sharing one monitor
- Eliminates cable swapping to reduce high-performance cable and port damage
- Keeps devices connected and ready to use
- Maintains highest single link resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Four-function remote control

**208000** 3 Ports, 2 Inputs + 1 Output

### HDMI Switch

- Easily select between multiple high-definition sources sharing one monitor
- Eliminates cable swapping to reduce high-performance cable and port damage
- Keeps devices connected and ready to use
- Maintains highest single link resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Six-function remote control

**208017** 5 Ports, 4 Inputs + 1 Output

# DATA SWITCHES

### Monitor, Keyboard, and Mouse Data Switch 2 Port

- Keyboard/ monitor/ mouse switch
- Shares up to 2 keyboards, mice and monitors with one CPU or vice versa
- Requires 3 in 1 cables (201016)

**155250** HD15/MD6/MD6, 2:1, PS/2

### Serial Data Switch 2 Port

**150552** DB9, 4:1, Serial

### VGA Monitor Data Switch

**150576** HD15, 2:1, 2 port

**150590** HD15, 4:1, 4 port

### IEEE 1284 Auto Switch

- Timeout: 15, 45 Seconds
- Supports IEEE-1284 nibble mode
- First-Come, First-Serve
- Bi-Tronics and Centronics compatible
- Unique broadcast mode supported

**155359** 2:1 or 1:2

# USB CABLES



**Hi-Speed USB 2.0 A to B Cable**
Translucent Silver
**341011** 3 ft
**333405** 6 ft
**340458** 10 ft
**340465** 15 ft
Black
**333368** 6 ft
**333382** 10 ft
**337779** 15 ft

**Hi-Speed USB 2.0 A to A Extension Cable**
Translucent Silver
**336314** 6 ft
**340496** 10 ft
**340502** 15 ft



**Hi-Speed USB 2.0 A to Mini Cable**
A to Mini 4-pin, Grey
**332804** 6 ft
A to Mini 5-pin, Translucent Silver
**333412** 6 ft

**USB A to B Cable**
Grey
**317856** 6 ft
**317863** 10 ft

**USB A to A Extension Cable**
Grey
**165211** 6 ft
**317238** 10 ft

# FIREWIRE CABLES

**IEEE 1394 Cable, 4 pin to 4 pin**
Black
**323765** 6 ft

**IEEE 1394 Cable, 6 pin to 4 pin**
Black
**323819** 6 ft

**IEEE 1394 Cable, 6 pin to 6 pin**
Black
**323901** 6 ft

# PRINTER CABLES

**Printer Cable**
25 conductors, shielded, molded
DB25 Male to CEN36 Male
**303033** 6 ft
**304573** 10 ft
**301800** 15 ft
**302241** 25 ft
**309301** 50 ft



**IEEE 1284 Printer Cable**
18 twisted pair double-shielded, molded
DB25 Male to CEN36 Male
**309905** 6 ft
**309912** 10 ft
**309929** 15 ft
**309936** 25 ft
**317184** 50 ft

# DATA CABLES

**Data Cable DB25**
IEEE 1284, 25 conductors, shielded
DB25 Male to DB25 Male
**300216** 6 ft
**301350** 10 ft
**300797** 15 ft
**301183** 25 ft
**311199** 50 ft
DB25 Male to DB25 Female
**301565** 6 ft
**301701** 10 ft

**Data Cable DB9**
9 conductors, straight-through, shielded
DB9 Male to DB9 Female
**304238** 6 ft
**304344** 10 ft
**304368** 15 ft
**312073** 25 ft
NEW **304764** 50 ft
DB9 Female to DB9 Female
**304382** 6 ft
DB9 Male to DB9 Male
**304115** 6 ft

**USB to PS/2 Adapter,**
Connects a USB mouse or keyboard to a PS/2 port, green
**333962**

Connects a PS/2 mouse or keyboard to a USB port, purple
**341158**

## GENDER CHANGERS

**DB25 Mini Gender Changer**
DB25 to DB25
**Male to Male**
**200417**

**DB25 Mini Gender Changer**
DB25 to DB25
**Female to Female**
**200486**

**DB9 Mini Gender Changer**
DB9 to DB9
**Male to Male**
**200370**

**DB9 Mini Gender Changer**
DB9 to DB9
**Female to Female**
**200448**

**HD15 VGA Mini Gender Changer**
HD15 to HD15
**Male to Male**
**200394**

**HD15 VGA Mini Gender Changer**
HD15 to HD15
**Female to Female**
**200462**

## POWER CABLES



**Standard PC Power Cable**
• UL & CSA approved
**300179** 6 ft

**Power Extension Y-Cable 12"**
Male - 2 x Female
**303064**
**303071** 5 pack

**Power Strip Liberator**
Use with AC adapters to allow access to standard surge protector plugs, 1 ft.
**301428**
**303040** 5 pack

## NULL MODEM CABLES

**Null Modem Cable**
8 conductors, shielded, molded
DB9 Female to DB25 Male
**314770** 6 ft

**Null Modem Cable**
7 conductors, shielded, molded
DB9 Female to DB9 Female
**301404** 6 ft

## NULL MODEM ADAPTER

**Null Modem Adapter**
DB9 Male to DB9 Female
**202671**

## AT MODEM CABLE



**AT Modem Cable**
9 conductors, shielded, molded
DB9 Female to DB25 Male
**314220** 6 ft

## KEYBOARD CABLES

**PS/2 Keyboard Cables**
Mini-DIN 6 to Mini-DIN 6, molded
**Male to Female**
**302531** 6 ft
**317160** 10 ft
**302623** 15 ft
**309547** 25 ft
**363785** 50 ft

**PS/2 Keyboard Cables**
Mini-DIN 6 to Mini-DIN 6, molded
**Male to Male**
**302548** 6 ft

# MONITOR CABLES

**VGA Monitor Cables**
14 conductors, shielded, molded

HD15 Male to HD15 Female
**300025** 6 ft
**300513** 10 ft
**300636** 15 ft

**VGA Monitor Cables**
14 conductors, shielded, molded

HD15 Male to HD15 Male
**300735** 6 ft
**300926** 10 ft
**300902** 25 ft

**SVGA Monitor Cable**
Fully shielded, Ferrite core

HD15 Male to HD15 Male
**317757** 6 ft
**317733** 10 ft
**317719** 15 ft
**373708** 25 ft
**372183** 50 ft
**373715** 100 ft

**SVGA Monitor Cable**
Fully shielded, Ferrite core

HD15 Male to HD15 Female
**317764** 6 ft
**317740** 10 ft
**317726** 15 ft
**373685** 25 ft
**372107** 50 ft
**373692** 100 ft

**SVGA Monitor Cables**
Molded, triple shielded (3 coaxial conductors)

HD15 Male to HD15 Male
**311731** 6 ft
**311748** 10 ft
**312721** 15 ft
**372978** 25 ft
**313629** 50 ft
**337342** 100 ft

**SVGA Monitor Cables**
Molded, triple shielded (3 coaxial conductors)

HD15 Male to HD15 Female
**309011** 6 ft
**313599** 10 ft
**310345** 15 ft
**327015** 25 ft
**313612** 50 ft
**100502** 100 ft

**Video Y-Cable**
HD15 Male to 2 x HD15 Female
**328302** 6 in

**SVGA Y Cable** NEW
HD15 Male to 2 x HD15 Female
**304559** 6 in



**High Resolution Monitor Cable**
Ferrite core, triple-shielded, molded

HD15 Male to 5xBNC
**307284** 6 ft

# AUDIO/VIDEO CABLES

**S-Video Cable, Male to Male**
**336529** 6 ft
**336536** 12 ft
**336284** 25 ft
**336512** 50 ft

**RCA Plug, Triple-Triple**
**341516** 6 ft

**RCA Socket to Mini 1/8"**
**336505** 10 in.

**Stereo Y-Cable, 1/8 Male to (2) 1/8 Female**
**332361** 6 ft
**370769** 6 in

**Stereo Mini 1/8" Extension Cable**

Male to Female
**311717** 6 ft

Male to Male
**334594** 6 ft

## 3-in-1 CABLES

**3-in-1 Spider KVM Cable for Auto KVM**
- Keyboard, Monitor and Mouse extensions all in one cable

Dual PS/2 Male & 1 VGA Male to Female
**205009** 6 ft
**205016** 10 ft
**204996** 15 ft
**323994** 30 ft

Dual PS/2 Male & 1 VGA Male to Male
**333221** 6 ft
**333009** 10 ft
**333214** 15 ft

**3-in-1 Spider KVM Cable Extension**
- Keyboard, Monitor and Mouse extensions all in one cable

Dual PS/2 Male to Female & 1 VGA Male to Female
**361323** 10 ft
**210393** 30 ft
**210409** 60 ft

## 2-in-1 CABLES



**2-in-1 Spider KVM Cable**
- Connects a USB KVM Switch to a PC
- Monitor Cable HD15 male to HD15 maletriple shielded (3 coaxial conductors)
- High-Speed USB, shielded
- Designed exclusively for INTELLINET NETWORK SOLUTIONS™ Switches

USB A Male/HD15 Male to USB B Male/HD15 Female
**370691** 6 ft
**370677** 10 ft
**370684** 15 ft

## HDMI MONITOR CABLES

**HDMI Male to HDMI Male, Shielded, Black**
**372473** 6 ft
**372480** 10 ft
**372497** 15 ft
**302883** 25 ft
**302869** 50 ft
**302890** 75 ft

**HDMI Male to DVI-D 24+1 Male, Dual Link, Black**
**372503** 6 ft
**372510** 10 ft
**372527** 15 ft

**HDMI Male to HDMI Female, Shielded, Black**
**375177** 6 ft

**HDMI Male to DVI-D Male, Dual Link, Black**
**375214** 25 ft
**375221** 50 ft
**375238** 75 ft

## DVI CABLES

**DVI-D Dual Link to Dual Link**
**328838** 6 ft

**DVI-D Male to DVI-D Male, Single Link, Beige**
**328821** 6 ft
**371766** 10 ft
**332835** 15 ft
**302951** 25 ft
**303002** 50 ft
**303026** 75 ft

**DVI-A Male to HD15 Male, White**
**328852** 6 ft

**DVI-A Male to HD15 Male, Shielded, White**
**336475** 6 ft

**DVI-D Male to DVI-D Female, Single Link, Beige**
**371643** 6 ft



**DVI-A/D Dual Link Male to DVI-A/D Dual Link Female, Beige**
**371674** 6 ft



**DVI-A/D Single Link Male to DVI-A/D Single Link Female, Beige**
**371698** 6 ft

**DVI-I Single Link Male to DVI-I Single Link Male, Beige**
**371704** 6 ft

**DVI-D Dual Link Male to DVI-D Dual Link Male, Beige**
**371803** 10 ft
**332866** 15 ft
**375184** 25 ft
**375191** 50 ft
**375207** 75 ft

**DVI-D Dual Link Male to DVI-D Dual Link Female, Beige**
**371810** 6 ft

**DVI-A/D Single Link Male to DVI-A/D Single Link Male, Beige**
**371834** 10 ft
**371841** 15 ft
**375245** 25 ft

## HDTV CABLES

**DVI-I Dual Link Male / Triple RCA Male**
**301091** 6 ft.

**HD15 Male / Triple RCA Male**
**301107** 6 ft.


DVI-A Analog Plug
(from analog display adapter to DVI-I monitor socket)
DVI-D Digital Single Link
DVI-D Digital Dual Link
DVI-I Analog & Digital Single
DVI-I Analog & Digital Dual

## DVI & HDMI ADAPTERS

### Digital Video Adapter

- DVI Digital or Analog Male to HD15 Female

**328883** DVI-I Dual Link Male to VGA Female
**328906** DVI-I Female to VGA Male

## ROUND CABLES

**SATA Cable**
Cable for new SATA hard drives,1 device
**340700** 20 in
**340717** 40 in

**Round IDE Ultra 100 Cable**
Cable for Ultra DMA 100/66 IDE hard drives, 80 conductors, black
2 connector
**341486** 10 in
3 connector
**336819** 36 in

## INTERNAL POWER CABLES



**Power Y-Cable**
5.25" Male to 2 x 5.25" Female
**301503** 8 in



**Power Y-Cable**
5.25" Male to 1 x 5.25" Female and 1 x 3.5" Female
**301831** 8 in



**Fan Adapter Cable**
Adapts CPU fan to motherboard,from a 3 pin to a 4 pin
**330411** 8 in

**P4 Adapter Cable**
Adapts a standard power supply to a P4 motherboard
**338646** 8 in

**ATX 20-to-24 Pin Adapter**
Ideal for converting 20-pin ATX power supply to 24-pin Motherboard, extends the length of ATX motherboard power supply cable
**370219** 5 in

## SATA CABLES



**SATA Power Cable**
4 Pin to 15 Pin
**342766** 6.5 in.



**SATA Power Y Cable**
- 4 pin to 2 x 15 pin
- 6 in. length

**349369** 6 in

## RIBBON CABLES

**IDE Hard Drive Cable, 3 Connectors, For 2 Devices**
Cable for Ultra DMA 100 IDE Hard Drives, 80 conductors
**329316** 18 in
**332781** 24 in.
**332354** 36 in.

Cable for IDE Hard Drives, 40 conductors
**316484** 18 in.
**309790** 21 in.

**Ultra 320 Ribbon Cable**
4 connectors, for up to 3 devices, LVD/SE terminator
**337397** 30 in.

New INTELLINET NETWORK SOLUTIONS catalog coming in August, 2007.

Free Stand Cabinets

19" Open Racks

Wall Mount Cabinets

LAN Switches

Patch Panels



Rack Mount Cases & UPS

Network Tools & Tool Kits

INTELLINET
NETWORK SOLUTIONS

Wireless Access Points

Network Cable Testers

**REQUEST YOUR COPY OF THE INTELLINET NETWORK SOLUTIONS CATALOG FOR A COMPLETE SELECTION OF BOTH ACTIVE AND PASSIVE NETWORKING PRODUCTS.**

Wireless Routers

Network Cabling

Wireless PC Cards

Network Accessories

Wireless PCI Cards

LIFETIME WARRANTY

Patch Cables



Network Cards

Wireless USB Adapters



KVM Switches



Print Servers

Network Attached Storage

Network IP Cameras

# IP Camera Surveillance Opportunities...

- Security
- Hospitals
- Offices
- Sporting Venues
- Childcare
- Assisted Living
- Pet Kennels
- Hotels
- Government
- Prisons
- Courts
- Construction
- Homes (High-End)
- Recreation Centers
- Parks
- Schools
- Real Estate Agents
- Casinos
- Marinas
- Apartment Building Owners
- Car Dealerships
- Churches
- Radio Stations
- Retail Stores
- Warehouses
- Community Events
- Babysitters
- Malls

**Check on... Children**

**View... Workplace**

**Monitor... Production Facilities**

## CHOOSE FROM A VARIETY OF SOLUTIONS TO FIT EVERY NEED

| Product Summary | Pro Series High Speed Dome Outdoor Network Camera | Pro Series PTZ Network Camera | Pro Series MPEG4 Network Camera | Pro Series JPEG Network Camera | Pro Series Network Video Server |
|---|---|---|---|---|---|
| **Model** | 550260 | 550734 | 503181 | 550710 | 550000 |
| **Wireless support** | - | - | Model 550253 (802.11g) | - | - |
| **Outdoor Use** | ✔ (IP66 Rated) | ✔ | ✔ (Optional Enclosure) | ✔ (Optional Enclosure) | - |
| **Video Surveillance** | ✔ | ✔ | ✔ | ✔ | ✔ |
| **Web Streaming** | ✔ | ✔ | ✔ | ✔ | ✔ |
| **Video Conferencing** | - | - | ✔ | - | - |
| **Image Compression** | Motion JPEG & MPEG-4 | JPEG | Motion JPEG & MPEG-4 | JPEG | JPEG |
| **Supported resolutions** | 720 x 480, 640 x 480, 720 x 240, 640 x 240, 352 x 240, 320 x 240 | 640 x 480 320 x 240 160 x 120 | 720 x 480 320 x 240 | 640 x 480 320 x 240 160 x 120 | 640 x 480 320 x 240 160 x 120 |
| **Frame Rate Per Second (Maximum)** | 30 fps in all resolutions | 8 fps @ 640 x 480 30 fps @ 320 x 240 30 fps @ 160 x 120 | 30 fps in all resolutions | 8 fps @ 640 x 480 30 fps @ 320 x 240 30 fps @ 160 x 120 | 8 fps @ 640 x 480 30 fps @ 320 x 240 30 fps @ 160 x 120 |
| **Audio Support** | - | - | ✔ | - | - |
| **Low Light Support** | ✔ | - | ✔ | - | Camera Dependent |
| **Image Sensor** | 1/4" Sony Super HAD CCD | 1/3" CMOS | 1/3" Sony Super HAD CCD | 1/3" CMOS | Camera Dependent |
| **Minimum Lux** | 0.0007 | 2.5 | 0.1 | 2.5 | Camera Dependent |
| **Lens** | 30x Optical Zoom | 8x Optical Zoom | 1/3" CS Mount (replaceable) | 1/3" CS Mount (replaceable) | Not Applicable |
| **Motorized Zoom** | ✔ | ✔ | - | - | Not Applicable |
| **Browser Controlled Pan Tilt & Zoom** | ✔ | ✔ | - | - | - |
| **Continious Pan (Horizontal)** | ✔ | - | ✔ (Optional Motor) | ✔ (Optional Motor) | - |
| **Terminal Block for External Sensors/Alarm Devices** | ✔ | - | ✔ | ✔ | ✔ |

The MultiViewer For Windows® makes it possible to view up to 4 different Network IP Cameras on one monitor. It is small, fast and very easy to install and use! Multiviewer supports camera models 550710, 550703, 550734, 503181, 550253 and 550000.

PDA Viewer* for Windows CE, Windows Mobile 2003 and 2005.

* Software not included. Free download from www.networkipcamera.com

# HomePlug Powerline

## Create a high-speed network in your home or office.

**The INTELLINET NETWORK SOLUTIONS HomePlug products allow you to create a high-speed computer network in your home or office. Simply plug the bridges into any electrical outlet, and you immediately create a network using the existing AC power lines. This technology is ideal when using network patch cable or wireless technology is not practical. So the network integrator or professional installer now has another option when designing and implementing networks. Think of it as "Ethernet over Power", as the data is transmitted over the AC power lines.**




### HomePlug Turbo Ethernet Bridge NEW

- Network computers through existing power lines
- Transparently connects Ethernet devices through the electrical system in the home
- Expand your network by adding Power Line Ethernet Adapters
- HomePlug (Registered Trademark) 1.0 Compliant
- Auto-MDIX
- Plug & Play (no drivers required)
- Secure data through 56-bit encryption
- Will work with all versions of Windows and MAC OS

**502641** 85 Mbps Networking Across Your Entire AC Powerline Network

### HomePlug Turbo Broadband Router NEW

- Broadband router using the AC power line as the network backbone
- HomePlug 1.0 Turbo compliant, 85 Mbps link speed
- Integrated 10/100 Mbps LAN switch with Auto MDI/MDI-X support
- Range up to 200 m (600 ft.) over the power line
- DHCP server assigns IP addresses for all LAN users
- Supports Virtual Server and DMZ (demilitarized zone)
- Supports VPN connections (PPTP, L2TP)
- Easy installation through Web-based user interface
- Firmware updates via Web-based user interface

**550192** 85 Mbps HomePlug 1.0 Turbo, 4-Port LAN Switch

**Ideal for Internet access using the AC powerline as the network backbone. The HomePlug Turbo Broadband Router is the perfect complement to our existing HomePlug Turbo Ethernet Bridge, and the two products are ideal for networking computers through the existing AC powerlines.**

### HomePlug Turbo Wireless G Access Point NEW

- Wireless G Access Point using the AC power line as the network backbone
- HomePlug 1.0 Turbo compliant, 85 Mbps link speed
- Integrated 10/100 Mbps LAN switch with Auto MID/MDI-X support
- Range up to 200 m over the power line
- Compatible with all 802.11b & g wireless products
- Robust wireless LAN security
- Easy installation through web-based user interface
- Firmware updates via Web-based user interface

**550215** 54 Mbps Wireless 802.11g, 85 Mbps HomePlug 1.0 Turbo

**Ideal for using the AC powerline to get around wireless deadspots. Simply install it in a "deadspot" area, and use the AC powerline to connect to the network backbone without having to run network cable. Now what was once a wireless deadspot becomes a "hotspot".**

# HomePlug AV

**HomePlug AV (HPAV) represents the next generation of technology from the HomePlug Powerline Alliance. Its purpose is to provide high-quality, multi-stream, entertainment oriented networking over existing AC wiring within the home.***

### HomePlug AV Ethernet Bridge NEW

- The latest generation of Powerline technology with higher throughput and enhanced security
- Network computers through existing AC power lines
- Transparently connects Ethernet devices through the electrical system in your home or office
- Expand your network by adding HomePlug AV Ethernet Bridges
- HomePlug AV compliant
- Can co-exist with HomePlug 1.0
- QoS to prioritize your important traffic
- Plug and Play (no drivers required)
- Secure data through 128-bit encryption
- Includes Windows configuration utility

**503273** 200 Mbps Networking Across Your Entire AC Powerline Network

* The Homeplug AV Ethernet Bridge is not compatible with the HomePlug Turbo Ethernet Bridge, but the two products can co-exist on the same powerline network without interfering with one another.

## Target Applications:

- **High Definition (HD) and Standard Definition (SD) video distribution**
- **TV over IP (IPTV)**
- **Backbone for WiFi, UWB and Wireless USB**
- **Higher data rate broadband sharing**
- **Shared broadband internet access**
- **Audio and video streaming and transfer**
- **Expanding the coverage of wireless LANs**
- **Voice Over IP (VoIP)**
- **PC files and applications sharing**
- **Printer and peripheral sharing**
- **Network and online gaming**
- **Security cameras**

# HomePlug Starter Kits

**We have added "starter kits" for each of the HomePlug Ethernet Bridges, making it more convenient to "get started" since you need at least two of these products to network through the AC power line. Each starter kit includes two HomePlug Ethernet Bridges.**

### HomePlug AV Ethernet Bridge Starter Kit NEW

- Includes two HomePlug AV Ethernet Bridges (model 503273)

**503280**

### HomePlug Turbo Ethernet Bridge Starter Kit NEW

- Includes two HomePlug Turbo Ethernet Bridges (model 502641)

**503297**

# Provide Instant Internet Access for Your Guests While Keeping Your Network Secure




## Features

- Provides instant guest access to the public network
- Host Network Protection (HNP) technology protects the host network from guests
- IP Plug and Play for configuration-free client operation
- No configuration required, GuestGate automatically detects the network settings
- Additional setup functions can be performed by IT Administrator using Web-based User Interface
- Guest protection through Layer 3 Client Isolation technology (patent pending)
- Bandwidth Control (upstream & downstream)
- Password option for Internet access
- Packet filter for IP addresses, domains and TCP/IP service ports
- Customizable welcome page (banner/text changeable)
- Firmware upgrade through Web-based user interface
- Plug and Play experience for your guests

Model # **523240**

For more information on this exclusive patent-pending opportunity, including detailed case studies, configurations, FAQs, news coverage, and more, visit:

**www.GuestGate.com**

# WALL MOUNT BRACKETS

### LCD Wall Mount Bracket

- VESA compliant mounting bracket
- Supports up to 18 lbs.
- Manual adjustment
- Mounting hardware included

**430821** Beige

**432351** Black

# MONITOR ARMS/POLES

### Deluxe LCD Monitor Arm

- VESA compliant mounting bracket
- Supports up to 18 lbs.
- Space saving design for home or office
- Positions monitor above work surface
- Arm capable of rotating 360 degrees
- Clamps to any table or desktop up to 3″ thick
- Holds any standard LCD monitor

**432344** Black

420808



420648

### LCD Monitor Poles NEW

- Securely hold LCD monitors above the desktop to increase work space and minimize clutter
- Die-cast aluminum pole with heavy-duty clamp mounts to desktop or other horizontal surface
- Easy installation ideal for home, office, retail, studio, IT network and security applications — no drilling required
- Meets VESA standards — fits monitors up to 19″ and up to 22 pounds

**420648** Supports one monitor, hinged arm

**420655** Supports one monitor, single-link swing arm

**420693** Supports one monitor, double-link swing arm

**420808** Supports two monitors, double-link swing arms

**420716** Supports three monitors, double-link swing arms

**420815** Supports four monitors, double-link swing arms

**420822** Supports six monitors, double-link swing arms

# KEYBOARD DRAWER

### Underdesk Keyboard Drawer

- Space saving innovation allows user to tuck keyboard under a table or desktop
- Includes smooth springlock slides for easy movement
- Heavy duty steel hardware

**421683** 13 x 21.5 x 4″

# WRIST STRAP

### Anti-Static Wrist Strap

- Essential for static protection while working on PCs
- Adjustable velcro strap
- 6 ft. grounding cord

**410144**

# MOUSE PADS

## Point-Of-Purchase Display

- Our exclusive MANHATTAN Display Box arrives pre-loaded with 20 high quality MANHATTAN mouse pads
- Designed for cash-register display
- Saves money over bulk packed pads

**431620** 20-Piece Assorted Designer Pads

## Gelware™ Mouse Pad

- Ergonomic design
- Gel-filled surface
- Gel wrist cushion

**427203** Blue

## Wrist-Rest Mouse Pad

- Soft wrist-support feels like gel
- Ergonomically designed
- Combats fatigue
- Non-slip base

**434362** Black

**434386** Blue

## Premium Mouse Pad

- High quality open cell rubber
- Helps to prolong the life of a mouse
- 100% skid resistant, thick and heavy rubber pad

**423823** Royal Blue

**422598** Red

**422611** White

**422628** Black

## Mouse Pad, 6 mm Bulk Packed

- 6 mm, closed cell
- Bulk packed

**423526** Black

**420747** Blue

# CLEANING PRODUCTS

## TFT/LCD Cleaning Kit NEW

Contents:
- 3 wet/dry wipes
- 1 micro-fibre tissue 4 x 6 in.
- 1 swab
- 1 ribbed cleaning sponge
- 1.7 oz cleaning solution
- 5 dry wipes 4 x 4 in.

**410816** 12 pieces

## PC Cleaning Kit NEW

For computer screens, casings, scanners, keyboards, and other office equipment
Contents:
- 6.8 oz Airduster
- 4.2 oz screen and casing cleaner
- 1 keyboard cleaning bud with flexible head
- 1 keyboard sponge, with two special surfaces
- 1 ribbed cleaning sponge
- 4 dry cloths 7 x 8.7 in.

**410823** 9 pieces

## TFT/LCD Cleaning Wipes NEW

Environmentally-friendly, special cleaning cloths for TFT screens, laptops and flat bed scanner screens; also suitable for use on PDA and LCD screens, screen-free filters and all treated and untreated glass surfaces eg. mirrors, microfilm reading screens, OHP screens and lenses.

**410830** 100 pieces, wet

## TFT/LCD Screen Cleaner NEW

Environmentally-friendly, special cleaning spray for TFT screens, laptops, flat bed scanner screens; also suitable for use on PDA and LCD screens, screen-free filters and all treated and untreated glass surfaces eg. mirrors, OHP screens and lenses.

**410847** 8.5 fl. oz. spray pump

## CD Lens Cleaner

Safely removes dust and dirt from the laser lens

**421737**

## CD/DVD Disc Repair

- Repair scratched CDs and DVDs
- Sufficient for 10-12 applications

**433310**

## Air Duster

- Safely removes dust and dirt from CPUs, keyboard, telephones, etc.

**410632** 8 oz. Can, Case of 12 Cans

## Wet/Dry Anti-Static Multi-Surface Cleaning Wipes

- Clean with moist wipe; dry and buff surface with dry wipe
- Anti-static, non-abrasive and non-streaking formula
- Clean all plastic, metal and glass surfaces including television and computer screens, printers, keyboards, telephones and office equipment.
- Safe for use on notwebook screens, glare filters and LCD monitors
- Lint-free

**433730** 50 Wet/50 Dry

# NOTEBOOK ACCESSORIES

## Notebook Power Adapter NEW

- Universal AC input provides a broad mobile power solution
- Power factor correction reduces energy loss
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

**300476** 19 V AC/DC, 65 W

**303088** 19 V, AC/DC, 90 W

**303095** 19 V, AC/DC, 120 W

## Ear-Hook Stereo Headset

- Comfortable padded earphones
- Adjustable ear-hooks for secure fit
- Lightweight design for comfort, 1.1 oz. (31 g)
- Adjustable volume control

**175494**

## Bluetooth Monaural Headset

- Lightweight, wireless connection for most Bluetooth-enabled mobile telephones — also supports Skype
- Easily pairs with notebook PCs and other Bluetooth-enabled devices to receive wireless audio
- Versatile design offers earplug with flexible clip for all-day comfort or earphone for harsh weather and outdoor activities
- Answer/end/reject/transfer call, volume, microphone mute, power on/off and redial functions
- Up to six hours of continuous talk time and 200 hours of standby time; easy setup — no drivers required

**175340**

## Notebook Computer Cooling Pad

700429

700467

- Helps reduce operating temperature for longer life and improved performance
- Two quiet, high-volume fans help dissipate damaging heat
- Stylish and functional design with special lighting effects
- Built-in USB cable eliminates need for external power supply
- Fits directly under any notebook computer – requires no special installation

**700429** USB, Two Lighted Fans

**700467** USB, Three Fans

# NOTEBOOK ACCESSORIES

440837

440691

## Notebook Security Locks

- Secures notebook to stationary objects
- Installs in seconds
- Heavy duty lock

**440837** Combination Lock, 6 ft. straight

**440691** Key Lock, 3 ft. coiled

**440387** Key Lock, 6 ft. straight

**440202** D-Sub Port Connection, Combination Lock, 6 ft.

440387

440202

## USB Flex Light

- Perfect for traveling, presentations or evening work
- Gently illuminates your keyboard without disturbing others
- Plugs directly into any USB port - no external power needed
- Uses less than 90 seconds per hour of battery charge
- Fits easily into your notebook case
- 100,000 hour lifetime

**431644**

# NOTEBOOK CASES AND BACKPACKS

## Villager Notebook Backpack

- Padded compartments for notebook protection
- Comfortable padded shoulder straps
- Heavy duty handle with comfort grip
- Multiple compartments for files and accessories
- Pocket for digital player
- Earphone "porthole" – Listen to your digital player while the backpack is closed
- Heavy duty zippers
- Protects notebooks with up to 17" screens
- Pockets: side pocket, front compartment, digital player, notebook area, file compartment with 2 dividers
- Dimensions: 17.25 x 13.75 x 10.25 in.

**437691** Cobalt Blue
**437684** Crimson Red
**437677** Bubble Gum Pink
**437714** Tangerine Orange
**432696** Smoke Grey
**437707** Metallic Grey
(mix & match any colors)



437691

437684

437677

437714

432696

437707

**Retail Display Rack**
(bags not included)
**429610**

# NOTEBOOK CASES AND BACKPACKS

## Wall Street Notebook Case

Supple black vinyl cover with leather-grain finish; Zipper and Velcro closures; 2 front compartments; Front expandable accessory pouches; Large padded notebook area; Back compartment; Mesh file pocket; Shoulder strap

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 11.875 x 16 x 7.25 in.

**421454**

Fits 17" Widescreens

## Big Apple Notebook Case

Black synthetic canvas cover with vinyl trim; Front compartments and accessory pockets; Zipper and Velcro closures; Compartment with 3 file dividers; Shoulder strap

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 14.75 x 18 x 5.75 in.

**433723**



## Empire Notebook Case

Synthetic canvas cover with vinyl trim; Large padded notebook compartment; Front compartment; File divider; Back compartment; Accessory pockets; Zipper and Velcro closures

- Front load
- Protects notebooks with up to 17" screens
- Dimensions: 11.5 x 16.25 x 5.5 in.

**421560**



## Empire II Notebook Case

Synthetic canvas cover with vinyl trim; Front compartment; Large padded notebook area; Compartment with 2 file dividers; Back pocket; Shoulder strap; Zipper and Velcro closures

- Front load
- Protects notebooks with up to 15.4" screens
- Dimensions: 11.25 x 15 x 5.5 in.

**421577**

## Times Square Notebook Case

Synthetic canvas cover with vinyl trim; Front compartment; Large padded notebook area; File divider; Back compartment; Zipper and Velcro closures; Shoulder strap

- Front load
- Protects notebooks with up to 15.4" screens
- Dimensions: 11 x 14.5 x 4.75 in.

**421430**



# NOTEBOOK CASES AND BACKPACKS

## Grand Central Notebook Case

- Padded compartment for computer protection
- Extremely comfortable padded shoulder strap
- Heavy duty handle
- Multiple compartments for your files and accessories
- Protects notebooks with up to 15.4" screens
- Pockets: front compartment, large laptop area, compartment with file divider, zippered front pocket
- Dimensions: 11.75 x 15.75 x 5.5 in.

**421584**

Great for Graphics Tablets

## Neoprene Notebook Sleeve

- Use alone or slip into a larger notebook bag for additional storage and portable protection options
- Snug, cushioned fit offers extra protection from spills and mishandling
- Dual strap handles provide secure and confident transport
- Durable, lightweight construction with textured exterior and scratch-resistant interior

- Protects notebooks with up to 15.4" screens
- Dimensions: 13.5 x 11.375 x 1.75 in

**438490**

- Protects notebooks with up to 16" screens
- Dimensions: 14.75 x 12 x 1.75 in

**438506**

- Protects notebooks with up to 17" screens
- Dimensions: 16 x 12.5 x 1.75 in.

**438513**



## Madison Avenue Notebook Case

- Ultra-lightweight (only 43 oz.) and cutting-edge in design
- Padded compartment for computer protection
- Multiple compartments for your files and accessories
- CD-player pocket with headphone "porthole" – listen while the case is closed
- 6-disk CD-ROM sleeve
- Protects notebooks with up to 15.4" screens
- Pockets: front compartment, large laptop area, two file compartments
- Dimensions: 12.5 x 15.375 x 3.5 in.

**432665**

## Madison Avenue II Notebook Case

- Ultra-lightweight (only 41 oz.), cutting-edge design
- Padded compartment for computer protection
- Multiple compartments for your files and accessories
- CD-player pocket with headphone "porthole" – listen while the case is closed
- 6-disk CD-ROM sleeve
- Protects notebooks with up to 15.4" screens
- Pockets: front compartment, large laptop area, two file compartments
- Dimensions: 12.5 x 15.375 x 3.5 in.

**432658**

# NOTEBOOK CASES AND BACKPACKS

## Park Avenue Notebook Case



- Aluminum case for maximum computer protection
- Foam padded notebook compartment
- Adjustable divider
- Pocket for files and accessories
- Pockets: file compartment, notebook area, three accessory pouches
- Protects notebooks with up to 17" screens
- Dimensions: 13 x 18.5 x 4 in. (13 x 18.25 x 4 in.)

**438186** Aluminum with Combination Locks

## Chelsea Ladies' Notebook Bag NEW

Durable yet lightweight, easy-care fabrics resist water, stains and wear, deep, roomy interior, separate, padded computer sleeve removes for discreet airport inspections or tote conversion, zippered accessories pouch and built-in organizers

- Top load
- Protects notebooks with up to 15" screens
- Dimensions: 4 x 37 x 10 cm (13.5 x 14.75 x 3.75 in.)

**355001**

## Midtown Ladies' Notebook Bag NEW

Durable yet lightweight, easy-care fabrics resist water, stains and wear, two exterior pockets and generous interior, padded, secured computer sleeve helps protect notebook computer from damage, zippered accessories pouch and built-in organizers

- Top load
- Protects notebooks with up to 15" screens
- Dimensions: 33 x 37 x 11 cm (13 x 14.5 x 4.25 in.)

**355018**

## Gramercy Ladies' Notebook Bag NEW

Durable yet lightweight, easy-care fabrics resist water, stains and wear, one exterior pocket and well-appointed interior, padded, secured computer sleeve helps protect notebook computer from damage, zippered accessories pouch and built-in organizers, one file folder, one business card holder, one zippered pocket, two cellphone/MP3 player pockets, two key hooks and two pen loops

- Top load
- Protects notebooks with up to 15" screens
- Dimensions: 43 x 34 x 9 cm (16.75 x 13.5 x 3.5 in.)

**355025**

## Kilimanjaro Rolling Notebook Duffel Bag NEW

- Duffel design fully unzips to provide wide access to roomy, oversized interior and mesh storage pockets
- Separate top-load notebook storage area with zippered closure features divided, padded compartments and accessory pockets; fits most notebooks up to 17"
- Neoprene notebook sleeve with strap handles included for additional portable storage and protection options
- Two padded handles, durable wheels and retractable, heavy-duty telescoping handle help make traveling easier
- Four zippered exterior pockets conveniently hold accessories, pens and other items for quick retrieval
- Separate exterior pocket with closure holds cellular phone or digital music player
- Rugged, moisture-proof polyester exterior
- Dimensions: 19.25 x 15.25 x 15.5 in.

**438254** Two-tone, Blue and Black

## Matterhorn Rolling Notebook Backpack NEW

- Front-load main compartment unzips to provide wide access to roomy, oversized interior
- Separate top-load padded notebook storage area with zippered mesh accessory pocket; fits most notebooks up to 15.4"
- Neoprene notebook sleeve with strap handles included for additional portable storage and protection options
- Padded grip, durable wheels and retractable, heavy-duty, two-position telescoping handle help make traveling easier
- Adjustable shoulder straps convert the rolling bag into a versatile backpack
- Padded, zippered rear pocket holds shoulder straps when not in use; provides cushioning when wearing backpack
- Two zippered front pockets securely hold digital accessories and other items
- Two zippered side pockets stow larger items; one zippered storage pouch included
- Wide, sturdy base helps keep loaded backpack upright
- Rugged, weather-resistant polyester exterior
- Dimensions: 18.5 x 14.5 x 13.25 in.

**438261**

100502 ..... 49
100717 ..... 32
101387 ..... 28
101530 ..... 28
150019 ..... 34
150026 ..... 34, 43
150040 ..... 34
150095 ..... 9
150552 ..... 46
150576 ..... 46
150590 ..... 46
153577 ..... 37
154048 ..... 37
155250 ..... 46
155359 ..... 46
160353 ..... 33
160360 ..... 20
160391 ..... 33
160414 ..... 37
160452 ..... 37
160469 ..... 36
160476 ..... 36
160483 ..... 35
160490 ..... 20
160513 ..... 35
160520 ..... 20
160650 ..... 20
160780 ..... 20
160810 ..... 20
164429 ..... 14
165211 ..... 47
165273 ..... 37
165297 ..... 36
165976 ..... 37
166614 ..... 37
167024 ..... 33
167741 ..... 33
167833 ..... 19
167840 ..... 19
168120 ..... 25
168175 ..... 25
168199 ..... 2
168205 ..... 25
168212 ..... 25
168229 ..... 25
168298 ..... 34
168519 ..... 28
168588 ..... 33
169011 ..... 33
169349 ..... 45
169356 ..... 45
169363 ..... 45
169844 ..... 19
169851 ..... 19
170000 ..... 36
170598 ..... 36
171007 ..... 45
171014 ..... 45
171021 ..... 45
171519 ..... 37
171540 ..... 18
171557 ..... 33
171632 ..... 3
171656 ..... 4
171793 ..... 18
171854 ..... 18
171861 ..... 18
172059 ..... 22
172417 ..... 21
172554 ..... 21
172844 ..... 32
172851 ..... 14
172905 ..... 6
172943 ..... 34
172974 ..... 21
173032 ..... 35
173056 ..... 14
173070 ..... 14
173124 ..... 35
173582 ..... 8
173735 ..... 12
173773 ..... 18
173780 ..... 18
173827 ..... 19
173940 ..... 14
173964 ..... 14
173988 ..... 28
174008 ..... 28
174039 ..... 8
174053 ..... 9
174107 ..... 18
174114 ..... 18
174145 ..... 4
174152 ..... 8
174190 ..... 9
174244 ..... 5
174459 ..... 23
174572 ..... 23
174916 ..... 18
174947 ..... 4
174985 ..... 19
175135 ..... 45
175142 ..... 45
175340 ..... 12, 62
175357 ..... 35
175432 ..... 32
175494 ..... 13, 62
175500 ..... 14
175517 ..... 13
175524 ..... 13
175548 ..... 13
175555 ..... 13
175579 ..... 21
175586 ..... 37
175906 ..... 32
175944 ..... 12
175968 ..... 18
175975 ..... 19
175982 ..... 19
176040 ..... 23
176071 ..... 4
176088 ..... 4
176125 ..... 8
176132 ..... 9
176156 ..... 8
176163 ..... 12
176187 ..... 14
176217 ..... 14
176354 ..... 22
176385 ..... 22
176392 ..... 18
176422 ..... 22
176439 ..... 22
176460 ..... 21
176484 ..... 22
176507 ..... 45
176569 ..... 18
176644 ..... 21
177931 ..... 13
200370 ..... 48
200394 ..... 48
200417 ..... 48
200448 ..... 48
200462 ..... 48
200486 ..... 48
202671 ..... 48
204996 ..... 50
205009 ..... 50
205016 ..... 50
205054 ..... 2
205078 ..... 2
205146 ..... 4
208000 ..... 46
208017 ..... 46
208024 ..... 46
208031 ..... 46
210140 ..... 31
210393 ..... 50
210409 ..... 50
210799 ..... 31
300025 ..... 49
300179 ..... 48
300216 ..... 47
300476 ..... 62
300513 ..... 49
300636 ..... 49
300735 ..... 49
300797 ..... 47
300803 ..... 34
300902 ..... 49
300926 ..... 49
301091 ..... 8, 9, 51
301107 ..... 8, 9, 51
301183 ..... 47
301350 ..... 47
301404 ..... 48
301428 ..... 26, 48
301503 ..... 52
301565 ..... 47
301701 ..... 47
301800 ..... 47
301831 ..... 52
302241 ..... 47
302531 ..... 48
302548 ..... 48
302623 ..... 48
302869 ..... 50
302883 ..... 50
302890 ..... 50
302951 ..... 50
303002 ..... 50
303026 ..... 50
303033 ..... 47
303040 ..... 26, 48
303064 ..... 26, 48
303071 ..... 26, 48
303088 ..... 62
303095 ..... 62
304115 ..... 47
304238 ..... 47
304344 ..... 47
304368 ..... 47
304382 ..... 47
304559 ..... 49
304573 ..... 47
304764 ..... 47
307192 ..... 26
307284 ..... 49
309011 ..... 49
309301 ..... 47
309547 ..... 48
309790 ..... 52
309905 ..... 47
309912 ..... 47
309929 ..... 47
309936 ..... 47
310345 ..... 49
311199 ..... 47
311717 ..... 49
311731 ..... 49
311748 ..... 49
312073 ..... 47
312721 ..... 49
313599 ..... 49
313612 ..... 49
313629 ..... 49
314220 ..... 48
314770 ..... 48
316484 ..... 52
317160 ..... 48
317184 ..... 47
317238 ..... 47
317405 ..... 4, 40
317474 ..... 4, 40
317719 ..... 49
317726 ..... 49
317733 ..... 49
317740 ..... 49
317757 ..... 49
317764 ..... 49
317856 ..... 47
317863 ..... 47
323765 ..... 47
323819 ..... 47
323901 ..... 47
323994 ..... 50
324007 ..... 36
326605 ..... 4
327015 ..... 49
328302 ..... 49
328821 ..... 50
328838 ..... 51
328852 ..... 50
328883 ..... 51
328906 ..... 51
329316 ..... 52
330411 ..... 52
332354 ..... 52
332361 ..... 49
332781 ..... 52
332804 ..... 47
332835 ..... 50
332866 ..... 50
333009 ..... 50
333214 ..... 50
333221 ..... 50
333368 ..... 47
333382 ..... 47
333405 ..... 47
333412 ..... 47
333962 ..... 48
334594 ..... 49
336284 ..... 49
336314 ..... 47
336475 ..... 50
336505 ..... 49
336512 ..... 49
336529 ..... 49
336536 ..... 49
336581 ..... 4
336819 ..... 52
337342 ..... 49
337397 ..... 52
337779 ..... 47
337946 ..... 30
338646 ..... 52
340458 ..... 47
340465 ..... 47
340496 ..... 47
340502 ..... 47
340700 ..... 52
340717 ..... 52
341011 ..... 47
341486 ..... 52
341516 ..... 49
342766 ..... 52
349284 ..... 6
349369 ..... 52
350310 ..... 6
355001 ..... 67
355018 ..... 67
355025 ..... 67
361156 ..... 42
361163 ..... 42
361170 ..... 42
361187 ..... 42
361194 ..... 42
361200 ..... 42
361217 ..... 42
361224 ..... 42
361231 ..... 42
361248 ..... 42
361255 ..... 42
361262 ..... 42
361279 ..... 42
361286 ..... 42
361293 ..... 42
361323 ..... 50
361330 ..... 42
361354 ..... 42
361361 ..... 43
361415 ..... 43
361422 ..... 43
361682 ..... 42
361705 ..... 42
361736 ..... 42
361767 ..... 42
361774 ..... 43
361804 ..... 42
361811 ..... 42
361835 ..... 42
361842 ..... 42
363785 ..... 48
364966 ..... 4
365925 ..... 3
370219 ..... 28, 52
370677 ..... 50
370684 ..... 50
370691 ..... 50
370769 ..... 49
371643 ..... 50
371674 ..... 50
371698 ..... 51
371704 ..... 51
371766 ..... 50
371803 ..... 51
371810 ..... 51
371834 ..... 51
371841 ..... 51
372107 ..... 49
372183 ..... 49
372473 ..... 50
372497 ..... 50
372503 ..... 50
372510 ..... 50
372527 ..... 50
372978 ..... 49
373685 ..... 49
373692 ..... 49
373708 ..... 49
373715 ..... 49
375177 ..... 51
375184 ..... 51
375191 ..... 51
375207 ..... 51
375214 ..... 51
375221 ..... 51
375238 ..... 51
375245 ..... 51
380003 ..... 39
380010 ..... 39
380027 ..... 39
380065 ..... 39
380072 ..... 39
380089 ..... 39
380096 ..... 39
380102 ..... 39
380119 ..... 39
380157 ..... 39
380164 ..... 39
380171 ..... 39
380188 ..... 39
380249 ..... 39
380508 ..... 39
380522 ..... 39
380546 ..... 39
380652 ..... 40
380669 ..... 40
380751 ..... 40
380768 ..... 40
380775 ..... 40
380782 ..... 40
380829 ..... 41
380836 ..... 41
380850 ..... 41
380911 ..... 41
380928 ..... 41
380935 ..... 41
380942 ..... 41
380959 ..... 41
380966 ..... 41
381048 ..... 41
381055 ..... 41
381062 ..... 41
381079 ..... 41
381093 ..... 41
381109 ..... 41
381116 ..... 41
381178 ..... 43
381284 ..... 44
381307 ..... 44
381314 ..... 44
381338 ..... 43
381345 ..... 43
381451 ..... 44
381468 ..... 44
381475 ..... 44
381949 ..... 44
381956 ..... 44
381963 ..... 44
382496 ..... 41
382502 ..... 41
382519 ..... 41
382526 ..... 41
382540 ..... 41
382762 ..... 40
382809 ..... 40
382885 ..... 40
382922 ..... 40
383080 ..... 41
383097 ..... 41
383103 ..... 41
383110 ..... 41
383189 ..... 43
383196 ..... 43
383202 ..... 43
383646 ..... 41
383653 ..... 41
383660 ..... 41
383677 ..... 41
383684 ..... 41
383707 ..... 41
383714 ..... 43
384414 ..... 43
384421 ..... 43
389877 ..... 44
389884 ..... 44
389914 ..... 44
389921 ..... 44
400077 ..... 27
400367 ..... 24
400954 ..... 24
400961 ..... 24
401241 ..... 24
401517 ..... 24
410144 ..... 59
410632 ..... 61
410816 ..... 61
410823 ..... 61
410830 ..... 61
410847 ..... 61
420648 ..... 59
420655 ..... 59
420693 ..... 59
420716 ..... 59
420747 ..... 60
420808 ..... 59
420815 ..... 59
420822 ..... 59
420846 ..... 38
420860 ..... 38
420945 ..... 38
420952 ..... 38
420969 ..... 38
420976 ..... 38
420983 ..... 38
420990 ..... 38
421430 ..... 65
421454 ..... 65
421560 ..... 65
421577 ..... 65
421584 ..... 66
421683 ..... 59
421737 ..... 61
422475 ..... 29
422598 ..... 60
422611 ..... 60
422628 ..... 60
423526 ..... 60
423823 ..... 60
424547 ..... 29
427203 ..... 60
429610 ..... 64
430821 ..... 59
431620 ..... 60
431644 ..... 63
432344 ..... 59
432351 ..... 59
432658 ..... 66
432665 ..... 66
432696 ..... 64
433310 ..... 61
433556 ..... 29
433723 ..... 65
433730 ..... 61
434362 ..... 60
434386 ..... 60
437677 ..... 64
437684 ..... 64
437691 ..... 64
437707 ..... 64
437714 ..... 64
438186 ..... 67
438254 ..... 67
438261 ..... 67
438490 ..... 23, 66
438506 ..... 23, 66
438513 ..... 23, 66
440202 ..... 63
440387 ..... 63
440691 ..... 63
440837 ..... 63
450737 ..... 29
451109 ..... 29
451123 ..... 29
451130 ..... 29
460002 ..... 24
460378 ..... 15
460385 ..... 15
460392 ..... 15
460415 ..... 15
460422 ..... 15
460668 ..... 15
502641 ..... 56
502962 ..... 38
502979 ..... 38
503273 ..... 57
503280 ..... 57
503297 ..... 57
510424 ..... 3
510462 ..... 3
512411 ..... 33
515016 ..... 33
515245 ..... 35
515252 ..... 35
516075 ..... 2
516167 ..... 33
516419 ..... 5
519380 ..... 6
519694 ..... 5
519779 ..... 3
519816 ..... 6
522717 ..... 6
522892 ..... 5
522908 ..... 5
522977 ..... 5
523240 ..... 58
530071 ..... 27
530217 ..... 27
550192 ..... 56
550215 ..... 56
570800 ..... 26
570831 ..... 26
570848 ..... 26
700252 ..... 30
700313 ..... 31
700320 ..... 31
700337 ..... 31
700344 ..... 32
700429 ..... 62
700467 ..... 62
700498 ..... 7
700504 ..... 7
700511 ..... 7
700580 ..... 30
700641 ..... 7
700665 ..... 31
700788 ..... 7
700818 ..... 7
700856 ..... 32
700863 ..... 31
700887 ..... 31
700894 ..... 31
700924 ..... 31
700955 ..... 31
701334 ..... 31
701402 ..... 31
701419 ..... 32
701655 ..... 31
701662 ..... 31
701747 ..... 31
702034 ..... 31
702775 ..... 32
702812 ..... 30
702829 ..... 30
702836 ..... 30
702843 ..... 30
702850 ..... 30
702898 ..... 7
702904 ..... 7
702935 ..... 7
702942 ..... 7
702959 ..... 7
702966 ..... 7
702973 ..... 7
800655 ..... 39

Speakers
Page 20

Headsets
Page 12

Keyboards
Page 21

MANHATTAN
BRINGING COMPUTERS TO LIFE

Web Cameras
Page 15

Mice
Page 18

# OUR PRODUCTS COME WITH A WARRANTY THAT LASTS A LIFETIME.

Retail Packaged Cables
Page 39

Audio/Video
Page 8

Coolers
Page 30

USB Peripherals
Page 2

USB Converters
Page 4

PC Cards
Page 33

LIFETIME WARRANTY

USB Data Transfer
Page 2



Power Protection
Page 25

Notebook Cases
Page 64

# MANHATTAN™

BRINGING COMPUTERS TO LIFE



A complete line of PC Peripherals, Components, Cables and Accessories including

## NOTEBOOK CASES AND BACKPACKS



LIFETIME WARRANTY

**www.manhattan-products.com**

MH-ICU-G-0607

PRSRT STD
U.S. POSTAGE
PAID
TAMPA, FL
PERMIT NO. 3875